


TITLE: BOOT,ATM, 2 WAY,PLUG	DWG NO: ATM2S-BT-XX	REV: A1	SH: 1	of: 1
-----------------------------	---------------------	---------	-------	-------

REVISIONS							
REV	ECO	DESCRIPTION	DATE	BY	APPR		
A1	-	RELEASE NUMBER	13MAR20	BROOK	TOMMY		







PART N	JMBER CHART
COLOR	PART NUMBER
GREY	ATM2S-BT
BLACK	ATM2S-BT-BK
YELLOW	ATM2S-BT-YW

NOTES: UNLESS OTHERWISE SPECIFIED

- 1. THIS PART IS USED ON ATM06-2S PLUG WITH ANY MODIFICTION THAT DOES NOT INCLUDE AN END CAP.
- 2. TEMPERATURE RATING : -29°C TO +100°C [-20°F TO +212°F]
- 3. ALL DIMENSIONS ARE FOR REFERENCE USE ONLY.

		SEE PART NUMBER CHART			REF: DTM2S-BT, DTM2S-BT-BK, DTM2S-BT-YW				
		PART NUMBER			DESCRIPTION				ITEM
	QUANTITY			MAT	TERIALS LIST				
Ī	UNLESS OTHERWISE SPECIFIED 1) All dimensions are in metric(mm). 2) Tolerances are as follows: 1 PL DEC ±0.30 2 PL DEC ±0.08 3 PL DEC ±0.08		SIGN	NATURES	DATE	DATE Amphon			
			DRAWN:	BROOK.DING	13MAR20	Amphenol			
			CHECKED:	ORION.LI	16MAR20	Sine Systems - www.amphenol-sine.com			
	3) Note reference	- 🗴	ENGINEER:			44724 Morley Drive			
ı	MATERIAL SPECIFICATIONS: PVC PROCESS SPECIFICATIONS: NEXT ASS'Y:		APPROVAL:	TOMMY.XIE	17MAR20		Clinton Township, MI 480	J36	
			CUSTOMER:] E	BOOT, ATM, 2 WAY	′.PLUG	
			SHOWN HEREON ARE THE PROPERTY OF THE AMPHENOL CORPORATION, NO RIGHTS OF REPRODUCTION ARE IMPLIED. ALL DIMENSIONS ARE SUBJECT TO NORMAL				<i>,</i>		
					A C-	ATM2S-B	T-XX	A1	
					SCALE: NONE		SHEET 1 OF	1	