



REVISIONS			
LTR	DESCRIPTION	DATE	APPROVED
2	REVISED PER ECN #T- 5869	4/1	[Signature]
A	RELEASED FOR PRODUCTION PER ECN T-012433	2/1/83	[Signature]

⚠ WEIGHT (MAX.):

LBS.	GRAMS
.0054	2.46

⚠ SOCKET NUMBER ONE IS MARKED IN CONTRASTING COLOR.

3. FINISH: 3-A SOCKET WAFER; FINISH TO BE AS MOLDED.
 3-B SOCKET CONTACT; GOLD PLATE PER MIL-G-45204 CLASS I.
 (ENGAGING END)
 3-C CONTACT TAIL; COATED WITH Sn63 SOLDER PER QQ-S-571
 2 MATERIAL: 2-A SOCKET WAFER; HIGH GRADE POLYARYLENE THERMOPLASTIC.
 2-B SOCKET CONTACT; COPPER ALLOY PER QQ-B-750.
 2-C SOLDERSLLEEVE® REFER TO RAYCHEM DWG. CTA-0068 FOR DATA.
 TERMINATOR;

1. THIS WAFER ASSEMBLY USED IN MTC100 CONNECTORS.

NOTES:

If this document is printed it becomes uncontrolled.
 Check with the web for latest revision.

SPECIFICATION CONTROL DRAWING © Raychem Corporation 1983

DRAWN	HAWKINGS	11-16-83	Raychem RAYCHEM CORPORATION 300 CONSTITUTION DRIVE MENLO PARK, CALIFORNIA 94025	
CHECKED	SB			
APPROVED	[Signature]	12-2-83	TITLE WAFER ASSEMBLY, SOCKET, "B" STYLE, 1", 10 CONTACTS, WITH OVAL ENTRY FOR 20-26 AWG. TEMP. RATING MTC100 SERIES	
APPROVED	[Signature]	12-2-83		
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES ±.005 METRIC DIMENSIONS ARE IN PARENTHESIS (M.M.)			SIZE	CODE IDENT NO
DO NOT SCALE THIS DRAWING			C	06090
			DWG NO	MTC100-JBI-S14
			WEIGHT	⚠
			SHEET 1 OF 1	