






LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-		B	REVISED	05JUNE2013	IC.K	JH.K
			C	REVISED	10JUNE2013	IC.K	JH.K
			C1	REVISED	25FEB2014	IC.K	JH.K
			C2	REVISED	05FEB2015	IC.K	JH.K



AS SHOWN
 (C1) 2108610-5/6
 (C2) 2-2108610-6




STROKE CONDITION (REFERENCE)
 SECTION B-B




- 1 MATERIAL: COPPER ALLOY, THK.=0.1mm
- 2 FINISH: NI UNDER PLATING ALL OVER 0.8~3.0um.
 CONTACT PLATING: Au 0.1~0.4um
 SOLDER PLATING: Au FLASH 0.05~0.35um
- 3 CUTTING BURR: 0.05mm MAX.
- (C1) 4 F/G SHOULD BE SEPARATED BASED ON THE CUSTOMER'S PART NUMBER AS BELOW TABLE

NO	PART NUMBER	CUSTOMER PART NUMBER	PRODUCT SPEC
1	2108610-5	MBV62562001	108-61185
2	2108610-6	EAG63652301	108-61185
(C2) 3	2-2108610-6	-	108-61250





RECOMENDED PCB LAYOUT
 (REFERENCE)





THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN JH GONG 08FEB2013				
DIMENSIONS: mm		CHK JH KIM 08FEB2013				
TOLERANCES UNLESS OTHERWISE SPECIFIED: ±0.15		APVD JH KIM 08FEB2013	NAME			
0-PLC ± 1-PLC ±0.5 2-PLC ±0.13 3-PLC ±0.013 4-PLC ±0.0001 ANGLES ±		PRODUCT SPEC SEE TABLE 4	SPRING FINGER 1.4H			
MATERIAL 1		APPLICATION SPEC	SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
FINISH 2		WEIGHT -	A3	00779	C=C_2108610	-
CUSTOMER DRAWING			SCALE 20:1	SHEET 1 OF 3	REV C2	

P	LTR	DESCRIPTION	DATE	DWN	APVD
		SEE SHEET 1			

①④ <2108610-5 : MBV62562001>



- 1. LG PART NO.
- 2. FINAL INSPECTION(YYYMMDD)
- 3. VENDOR PRODUCTION LOT NO.
- 4. VENDOR CODE






THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	JH GONG	08FEB2013	 TE Connectivity	
DIMENSIONS: mm		CHK	JH KIM	08FEB2013		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	JH KIM	08FEB2013		
0 PLC ±- 1 PLC ±0.5 2 PLC ±0.13 3 PLC ±0.013 4 PLC ±0.0001 ANGLES ±- FINISH -		PRODUCT SPEC	108-XXXXX			
MATERIAL -		APPLICATION SPEC	-		NAME	SPRING FINGER 1.4H
		WEIGHT	-		SIZE	A3
		CUSTOMER DRAWING			CAGE CODE	00779
					DRAWING NO	C=C_2108610
					RESTRICTED TO	-
					SCALE	20:1
					SHEET	2 OF 3
					REV	C2

P	LTR	DESCRIPTION	DATE	DWN	APVD
		SEE SHEET 1			

①④ <2108610-6 : EAG63652301>


DIRECTION OFF TOP OF REEL



- 1. LG PART NO.
- 2. FINAL INSPECTION(YYMMDD)
- 3. VENDOR PRODUCTION LOT NO.
- 4. VENDOR CODE

Ø100 REF FLANGE CORE DIA.

Ø330 REF REEL DIA.



WEEDING THE COVER TAPE, AROUND THE OUTER PERIPHERY IN A TURN.

165°~180° PEELING ANGLE
0.1~1.0 N PEELING FORCE

WITH PRODUCT CHARGE
9000EA/1REEL

WITHOUT CHARGE
400mm REF.

160mm REF
WITHOUT CHARGE

13.4 REF
19.4 REF
REEL WIDTH

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN JH GONG 08FEB2013	TE Connectivity			
DIMENSIONS: mm		CHK JH KIM 08FEB2013				
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD JH KIM 08FEB2013				
0 PLC ± 1 PLC ±0.5 2 PLC ±0.13 3 PLC ±0.013 4 PLC ±0.0001 ANGLES ± FINISH -		NAME 108-XXXXX				
MATERIAL -		PRODUCT SPEC APPLICATION SPEC	SIZE A3	CAGE CODE 00779	DRAWING NO C=C_2108610	RESTRICTED TO -
CUSTOMER DRAWING			WEIGHT -	SCALE 20:1	SHEET 3 OF 3	REV C2