



MATERIALS AND FINISHES

SSMCX JACK: (P/N: 73413-6110)
SEE SD-73413-611


BLOCKS:
89523-0700: HIGH TEMP NYLON
89523-0900: HIGH TEMP NYLON
89530-5700: HIGH TEMP NYLON



SHEET 2









SHEET 3



SHEET 4

73358-0272	73413-6110 X 6 & 89530-5700 BLOCK	4
73358-0271	73413-6110 X 8 & 89523-0900 BLOCK	3
73358-0270	73413-6110 X 4 & 89523-0700 BLOCK	2
PART NO.	DESCRIPTION	SHEET NO.





CHG: ADDED SHEET 4 FOR 6 PORT VERSION. EC NO: URF2010-0385 DRAWN: ROBERTSON 2009/12/29 CHKD: SSS 2010/01/04 APPR: JWIENER 2010/01/04 A1	QUALITY SYMBOLS ▽=0 ▽=0 DESCRIPTION REV	GENERAL TOLERANCES (UNLESS SPECIFIED) <table border="1"> <tr> <td></td> <td>mm</td> <td>INCH</td> </tr> <tr> <td>4 PLACES</td> <td>± ---</td> <td>± ---</td> </tr> <tr> <td>3 PLACES</td> <td>± ---</td> <td>± ---</td> </tr> <tr> <td>2 PLACES</td> <td>± ---</td> <td>± ---</td> </tr> <tr> <td>1 PLACE</td> <td>± ---</td> <td>± ---</td> </tr> </table> ANGULAR ± 2 °		mm	INCH	4 PLACES	± ---	± ---	3 PLACES	± ---	± ---	2 PLACES	± ---	± ---	1 PLACE	± ---	± ---	DIMENSION STYLE MM/IN DRAWN BY: JYL DATE: 2009/06/19 CHECKED BY: SSS DATE: 2009/06/19 APPROVED BY: JDW DATE: 2009/06/19	SCALE DESIGN UNITS METRIC THIRD ANGLE PROJECTION	TITLE GANG 4/6/8 SSMCX J PCB LF EDGE LAUNCH 50 OHM SSMCX-J/PCB, EWR-4129	MATERIAL NO. SEE TABLE	DOCUMENT NO. SD-73358-027	SHEET NO. 1 OF 4
			mm	INCH																			
		4 PLACES	± ---	± ---																			
		3 PLACES	± ---	± ---																			
2 PLACES	± ---	± ---																					
1 PLACE	± ---	± ---																					
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MOLEX INCORPORATED		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																			



73358-0270	73413-6110 X 4 IN 89523-0700
PART NO.	DESCRIPTION






CHG: SEE SHEET 1. EC NO: URF2010-0385 DRWN: ROBERTSON 2009/12/29 CHKD: SSS 2010/01/04 APPR: JWIENER 2010/01/04	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM/IN	SCALE METRIC	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION
		4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± --- ± --- 1 PLACE ± --- ± --- ANGULAR ± 2 °	DRAWN BY JYL 2009/06/19 CHECKED BY SSS 2009/06/19 APPROVED BY JDW 2009/06/19	DATE 2009/06/19 DATE 2009/06/19 DATE 2009/06/19	TITLE GANG 4/6/8 SSMCX J PCB LF EDGE LAUNCH 50 OHM SSMCX-J/PCB, EWR-4129	MOLEX INCORPORATED	MATERIAL NO. 733580270
A1	DESCRIPTION	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE C	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		

SUGGESTED BOARD LAYOUT



73358-0271	73413-6110 X 8 IN 89523-0900																																																																																
PART NO.	DESCRIPTION																																																																																
<table border="1"> <tr> <td>CHG: SEE SHEET 1.</td> <td>QUALITY SYMBOLS</td> <td>GENERAL TOLERANCES (UNLESS SPECIFIED)</td> <td>DIMENSION STYLE</td> <td>SCALE</td> <td>DESIGN UNITS</td> <td>THIRD ANGLE PROJECTION</td> </tr> <tr> <td>EC NO: URF2010-0385</td> <td>▽=0</td> <td rowspan="2"> <table border="1"> <tr> <th>mm</th> <th>INCH</th> </tr> <tr> <td>4 PLACES ± .005</td> <td>± .0005</td> </tr> <tr> <td>3 PLACES ± .005</td> <td>± .0005</td> </tr> <tr> <td>2 PLACES ± .005</td> <td>± .0005</td> </tr> <tr> <td>1 PLACE ± .005</td> <td>± .0005</td> </tr> </table> </td> <td>MM/IN</td> <td></td> <td></td> <td></td> </tr> <tr> <td>DRWN:ROBERTSON 2009/12/29</td> <td>▽=0</td> <td>ANGULAR ± 2°</td> <td>DRAWN BY</td> <td>DATE</td> <td>TITLE</td> <td></td> </tr> <tr> <td>CHKD:SSS 2010/01/04</td> <td></td> <td>DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td> <td>JYL</td> <td>2009/06/19</td> <td>GANG 4/6/8 SSMCX J PCB LF EDGE LAUNCH 50 OHM SSMCX-J/PCB, EWR-4129</td> <td></td> </tr> <tr> <td>APPR:JWIENER 2010/01/04</td> <td></td> <td></td> <td>SSS</td> <td>2009/06/19</td> <td>MOLEX INCORPORATED</td> <td></td> </tr> <tr> <td>REV</td> <td>DESCRIPTION</td> <td></td> <td>APPROVED BY</td> <td>DATE</td> <td></td> <td></td> </tr> <tr> <td>A1</td> <td></td> <td></td> <td>JDW</td> <td>2009/06/19</td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td>MATERIAL NO.</td> <td>DOCUMENT NO.</td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td>733580271</td> <td>SD-73358-027</td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td>SIZE C</td> <td colspan="3">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td> </tr> </table>		CHG: SEE SHEET 1.	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION	EC NO: URF2010-0385	▽=0	<table border="1"> <tr> <th>mm</th> <th>INCH</th> </tr> <tr> <td>4 PLACES ± .005</td> <td>± .0005</td> </tr> <tr> <td>3 PLACES ± .005</td> <td>± .0005</td> </tr> <tr> <td>2 PLACES ± .005</td> <td>± .0005</td> </tr> <tr> <td>1 PLACE ± .005</td> <td>± .0005</td> </tr> </table>	mm	INCH	4 PLACES ± .005	± .0005	3 PLACES ± .005	± .0005	2 PLACES ± .005	± .0005	1 PLACE ± .005	± .0005	MM/IN				DRWN:ROBERTSON 2009/12/29	▽=0	ANGULAR ± 2°	DRAWN BY	DATE	TITLE		CHKD:SSS 2010/01/04		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	JYL	2009/06/19	GANG 4/6/8 SSMCX J PCB LF EDGE LAUNCH 50 OHM SSMCX-J/PCB, EWR-4129		APPR:JWIENER 2010/01/04			SSS	2009/06/19	MOLEX INCORPORATED		REV	DESCRIPTION		APPROVED BY	DATE			A1			JDW	2009/06/19						MATERIAL NO.	DOCUMENT NO.						733580271	SD-73358-027						SIZE C	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		
CHG: SEE SHEET 1.	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION																																																																											
EC NO: URF2010-0385	▽=0	<table border="1"> <tr> <th>mm</th> <th>INCH</th> </tr> <tr> <td>4 PLACES ± .005</td> <td>± .0005</td> </tr> <tr> <td>3 PLACES ± .005</td> <td>± .0005</td> </tr> <tr> <td>2 PLACES ± .005</td> <td>± .0005</td> </tr> <tr> <td>1 PLACE ± .005</td> <td>± .0005</td> </tr> </table>	mm	INCH	4 PLACES ± .005	± .0005	3 PLACES ± .005	± .0005	2 PLACES ± .005	± .0005	1 PLACE ± .005	± .0005	MM/IN																																																																				
mm	INCH																																																																																
4 PLACES ± .005	± .0005																																																																																
3 PLACES ± .005	± .0005																																																																																
2 PLACES ± .005	± .0005																																																																																
1 PLACE ± .005	± .0005																																																																																
DRWN:ROBERTSON 2009/12/29	▽=0	ANGULAR ± 2°	DRAWN BY	DATE	TITLE																																																																												
CHKD:SSS 2010/01/04		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	JYL	2009/06/19	GANG 4/6/8 SSMCX J PCB LF EDGE LAUNCH 50 OHM SSMCX-J/PCB, EWR-4129																																																																												
APPR:JWIENER 2010/01/04			SSS	2009/06/19	MOLEX INCORPORATED																																																																												
REV	DESCRIPTION		APPROVED BY	DATE																																																																													
A1			JDW	2009/06/19																																																																													
			MATERIAL NO.	DOCUMENT NO.																																																																													
			733580271	SD-73358-027																																																																													
			SIZE C	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																													

SUGGESTED BOARD LAYOUT



73358-0272	73413-6110 X 6 IN 89530-5700 BLOCK
PART NO.	DESCRIPTION

CHG: SEE SHEET 1. EC NO: URF2010-0385 DRWN: ROBERTSON 2009/12/29 CHKD: SSS 2010/01/04 APPR: JWIENER 2010/01/04	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED) <table border="1"> <tr> <th></th> <th>mm</th> <th>INCH</th> </tr> <tr> <td>4 PLACES</td> <td>± .005</td> <td>± .0005</td> </tr> <tr> <td>3 PLACES</td> <td>± .005</td> <td>± .0005</td> </tr> <tr> <td>2 PLACES</td> <td>± .005</td> <td>± .0005</td> </tr> <tr> <td>1 PLACE</td> <td>± .005</td> <td>± .0005</td> </tr> </table>		mm	INCH	4 PLACES	± .005	± .0005	3 PLACES	± .005	± .0005	2 PLACES	± .005	± .0005	1 PLACE	± .005	± .0005	DIMENSION STYLE MM/IN	SCALE METRIC	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION
		mm	INCH																		
	4 PLACES	± .005	± .0005																		
	3 PLACES	± .005	± .0005																		
2 PLACES	± .005	± .0005																			
1 PLACE	± .005	± .0005																			
DRAWN BY JYL	DATE 2009/06/19	CHECKED BY SSS	DATE 2009/06/19	TITLE GANG 4/6/8 SSMCX J PCB LF EDGE LAUNCH 50 OHM SSMCX-J/PCB, EWR-4129																	
APPROVED BY JDW	DATE 2009/06/19	MATERIAL NO. 733580272			MOLEX INCORPORATED																
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	SIZE C	DOCUMENT NO. SD-73358-027	SHEET NO. 4 OF 4	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																	