# **T2196502185-001** • ACTIVE

TE Internal #: T2196502185-001 Connector Contacts, Socket, Silver, Silver, Holder Contact Retention, Size Size 20, Discrete Wire, 185 mm<sup>2</sup> Wire Size, 365000 CMA Wire Size, Crimp

#### View on TE.com >



Connectors > Rectangular Connectors > Connector Contacts



Contact Type: Socket

Contact Mating Area Plating Material: Silver

Wire Contact Termination Area Plating Material: Silver

Contact Retention Type Within Housing: Holder

Contact Size: Size 20

### Features

## Product Type Features

| Discrete Wire Type                             | Solid or Stranded |
|------------------------------------------------|-------------------|
| Connector & Contact Terminates To              | Wire & Cable      |
| Configuration Features                         |                   |
| Compatible With Wire & Cable Type              | Discrete Wire     |
| Electrical Characteristics                     |                   |
| Contact Resistance                             | 1 mΩ              |
| Contact Features                               |                   |
| Contact Mating Area Plating Material Finish    | Bright            |
| Contact Type                                   | Socket            |
| Contact Mating Area Plating Material           | Silver            |
| Wire Contact Termination Area Plating Material | Silver            |
| Contact Size                                   | Size 20           |
| Contact Base Material                          | Copper            |
| Contact Current Rating (Max)                   | 480 A             |

**C** For support call+1 800 522 6752

### T2196502185-001

Connector Contacts, Socket, Silver, Silver, Holder Contact Retention, Size Size 20, Discrete Wire, 185 mm<sup>2</sup> Wire Size, 365000 CMA Wire Size, Crimp



#### **Termination Features**

| Termination Method to Wire & Cable                                                           | Crimp                      |
|----------------------------------------------------------------------------------------------|----------------------------|
| Mechanical Attachment                                                                        |                            |
| Contact Retention Type Within Housing                                                        | Holder                     |
| Dimensions                                                                                   |                            |
| Wire Size                                                                                    | 365000 CMA                 |
| Usage Conditions                                                                             |                            |
| Operating Temperature Range                                                                  | -40 – 125 °C[-40 – 257 °F] |
| Operation/Application                                                                        |                            |
| Compatible With Wire Base Material                                                           | Copper                     |
| Circuit Application                                                                          | Power                      |
| <b>Product Compliance</b><br>For compliance documentation, visit the product page on TE.com> |                            |
| EU RoHS Directive 2011/65/EU                                                                 | Compliant                  |
| EU ELV Directive 2000/53/EC                                                                  | Compliant                  |
|                                                                                              |                            |

| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2023<br>(235)<br>Candidate List Declared Against: JUNE<br>2023 (235)<br>Does not contain REACH SVHC |
|----------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|
| Halogen Content                        | Low Halogen - Br, Cl, F, I < 900 ppm per<br>homogenous material. Also BFR/CFR/PVC<br>Free                                             |

Solder Process Capability

Not reviewed for solder process capability

No Restricted Materials Above Threshold

Product Compliance Disclaimer

China RoHS 2 Directive MIIT Order No 32, 2016

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

### T2196502185-001

Connector Contacts, Socket, Silver, Silver, Holder Contact Retention, Size Size 20, Discrete Wire, 185 mm<sup>2</sup> Wire Size, 365000 CMA Wire Size, Crimp



# **Compatible Parts**



# Customers Also Bought



| TE Part #109858-000 | TE Part #1662-213-2031 | TE Part #0662-207-0882 | TE Part #EP8149-000       |
|---------------------|------------------------|------------------------|---------------------------|
| D-181-1222-90/9     | CONT SOC ASSY          | CONT SOC ASSY          | 55PC1831-16-2/4/6-3CS2502 |
|                     |                        |                        |                           |



### Documents

Product Drawings

HCM650-FC-185

English

**CAD** Files

3D PDF

3D

### T2196502185-001

Connector Contacts, Socket, Silver, Silver, Holder Contact Retention, Size Size 20, Discrete Wire, 185 mm<sup>2</sup> Wire Size, 365000 CMA Wire Size, Crimp



**Customer View Model** ENG\_CVM\_CVM\_T2196502185-001\_A.2d\_dxf.zip **Customer View Model** ENG\_CVM\_CVM\_T2196502185-001\_A.3d\_igs.zip **Customer View Model** ENG\_CVM\_CVM\_T2196502185-001\_A.3d\_stp.zip By downloading the CAD file I accept and agree to the Terms and Conditions of use

## Datasheets & Catalog Pages HEAVY DUTY CONNECTORS

English

English

English

English

**Product Specifications** 

**Application Specification** 

English

**Product Environmental Compliance Product Compliance** 

English

**Product Compliance** 

English