

Data sheet | Item number: 285-173

Allen wrench; with a partially insulated shaft; with anti-rotation protection;
green

www.wago.com/285-173



Color:

Data

Technical data

Main product function

Operating tool

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.



Material Data

Color	green
Weight	87.7 g

Commercial data

eCl@ss 10.0	21-04-02-06
eCl@ss 9.0	21-04-02-06
ETIM 8.0	EC000818
ETIM 7.0	EC000818
PU (SPU)	25 pcs 25 Stück
Packaging type	box
Country of origin	DE
GTIN	4055143826921
Customs tariff number	82041100000

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Downloads

Documentation

Additional Information

Technical explanations	2019 年4月3日	pdf 2.2 MB	Download
------------------------	------------	---------------	----------

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 285-173	URL	Download
Allen wrench; with a partially insulated shaft; with anti-rotation protection; green		

Installation Notes

Conductor termination

Subject to changes. Please also observe the further product documentation!



Conductor termination – step 1:

Rotate the T-wrench counter-clockwise to the stop. Next, push in the orange locking tab. The clamp is locked open for hands-free wiring.



Conductor termination – step 2:

Insert a stripped conductor into the clamping unit until it hits the backstop. Hold in this position.



Conductor termination – step 3:

A short counter-clockwise rotation releases the tab. When unlocked, the T-wrench rotates clockwise, securely clamping the conductor.

Subject to changes. Please also observe the further product documentation!