


SFP56

TE Internal #: 4-2821224-5
SFP56 Cable Assembly, 4 Positions, 9.84 ft [3 m], 56 Gb/s, Black
Cable, Shielded, 26 AWG, .129 mm², Madison TurboTwin - Round
Jacketed, SFP56 Plug

View on TE.com >



Cable Assemblies > Copper Cable Assemblies > Pluggable I/O Cable Assemblies > SFP56 to SFP56 Cable Assembly: 26 AWG



Cable Assembly Type: SFP56

Equalized: No
Wire Size: .129 mm²

Outside Cable Diameter: 5.96 mm [.235 in]

All SFP56 to SFP56 Cable Assembly: 26 AWG (5)

Features

Product Type Features

Troduct Type readures	
Cable Assembly Category	High Speed, Industry Standard
Cable Assembly Type	SFP56
Connector Type (End A)	SFP56 Plug
Connector Type (End B)	SFP56 Plug
Cable Style	Madison TurboTwin - Round Jacketed
Configuration Features	
Number of Positions	4
Number of Pairs	2
Number of Signal Positions	4
Electrical Characteristics	
Impedance	100 Ω
Signal Characteristics	

56 Gb/s

Data Rate



Body Features

Equalized	No
Cable Color	Black
Cable Flammability Rating	CL2

Dimensions

Wire Size	.129 mm²
Outside Cable Diameter	5.96 mm[.235 in]

Operation/Application

Shielded	Yes
Halogen Free	No

Other

Cable Assembly Length	3 m[9.84 ft]	

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2023 (233) SVHC > Threshold: TBPH (15% in Component Part) MCCP (.11% in Component Part) Article Safe Usage Statements: Wash thoroughly after handling. Do not handle until all safety precautions have been read and understood. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous



materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # CAT-Z8-P6507 zSFP+ Stacked Cage Assembly: Gasket



TE Part # CAT-SF59-C117ST123 SFP+ Stacked Cage Assemblies



TE Part # CAT-Z8-P650632 zSFP+ Cage Assembly: EMI Springs



TE Part # CAT-Z8-P650796 zSFP+ Stacked Cage Assembly: EMI Spring



TE Part # 2007135-1 SFP+ 1x4 CageAssembly w/ EMI gasket



TE Part # 2007180-1 SFP+ 1X2 CAGE ASSM/LIGHTPIPE, EMI GASKET



TE Part # 2007254-1 SFP+ 1x1 Cage Assembly, Light Pipe



TE Part # 2198230-2 SFP+ Enhanced 1x2, SAN Heatsink



TE Part # 2198230-1 SFP+ Enhanced 1x2, PCI Heatsink



TE Part # 2170030-1 SFP+ 1x4 w/ Ultra Low Profile LP



TE Part # 2007194-2 SFP+ 1x1 Cage Assembly, PCI, Solder Tail



TE Part # 2007181-1 SFP+ 1x2 Cage Assy, EMI Gasket



TE Part # 2007194-1
SFP+ 1x1 Cage Assembly, PCI, Solder
Tail



TE Part # 2110304-1 SFP+ 1x1 Cage Assembly, Solder Tail



TE Part # 2170088-2 ZSFP+ Connector,15u"



TE Part # 2291634-3 SFP+ 1X1 CAGE ASSY, PF,WITH HEATSINK












Also in the Series | SFP56





Customers Also Bought







Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_4-2821224-5_E.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_4-2821224-5_E.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_4-2821224-5_E.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

Product Specifications

SFP56 Cable Assembly, 4 Positions, 9.84 ft [3 m], 56 Gb/s, Black Cable, Shielded, 26 AWG, .129 mm², Madison TurboTwin - Round Jacketed, SFP56 Plug



Product Specification

English