


© 1962 BY AMP INCORPORATED. ALL RIGHTS RESERVED. AMP PRODUCTS COVERED BY PATENTS AND/OR PATENTS PENDING. APPROVED PER GOVT CONTRACT NO.


LOCATION FOR AMP-TAB FEMALE CONTACT

CAVITY IDENTIFICATION STAMPED ON TOP SURFACE OF ASSY - PT NO ONLY

REVISIONS				
ZONE	LTR	DESCRIPTION	DATE	APPROVED
✓	T	REVISED PER 0600-3683-95	TA	10-95 J. WARNER
	U	REV PER CG3D-0250-01	CT	3-02 C.T.
	V	ECO-08-020973	PY	11-08 JW






- 582593-1 1. AS SHOWN "J" DIA. HOLES = .128
- 085 582593-2 1. SAME AS -1 EXCEPT:
2. "J" DIA. HOLES = .156
- 3 1. SAME AS -1 EXCEPT:
2. CUSTOMER PART NO STAMPED ON SIDE.



ALTERNATE MOUNTING EAR CONFIGURATION

CUSTOMER PART NO 10001-2531088 MARKED IN THIS APPROX. AREA ON SIDE 2 THRU 86 FOR -3 ONLY



+0.003 (M) "J" DIA. HOLES

GROOVES FOR "ON CONTACT KEYING" AMP'S OPTION DEPENDING ON METHOD OF MANUFACTURE. FOR "ON CONTACT" KEYING USE KEYING PLUG P/N 583487-1. (MUST BE ORDERED SEPARATELY.)

MOUNTING EAR CONFIGURATION AMP'S OPTION DEPENDS ON METHOD OF MANUFACTURE.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON		CONTRACT NO		AMP INCORPORATED HARRISBURG, PENNSYLVANIA	
FRACTIONS	DECIMALS	ANGLES	DR	DATE	NAME
±	±.005	±	J. Asink	12-16-66	43 POSITION AMP-TAB CONNECTOR .100 CENTERS QUAD
MATERIAL	HEAT TREAT	FINISH	CHK	DATE	SIZE
SEE CALLOUT	—	SEE CALLOUT	Mark Warner	12-28-66	C
			DSGN ENGR	DATE	CODE IDENT NO
			APPD	DATE	NUMBER
			J. Kaufman	1-10-67	582593
			R. Showman	1/10/67	REV
			DSGN APPD		V
			OTHER APPD		SCALE 4-1
					WT
					CALC
					ACTUAL
					SHEET 1 OF 1

CIRCUIT CAVITY IDENTIFICATION MARKING PER MIL-C-21097

MARK FIRST 5 POSITIONS NEXT 5 POSITIONS PLAIN

3. LASER MARKING ACCEPTABLE FOR ALL MARKING

AMP INFO
LOC PRINT/DIST
DF FO

NUMBER CUS. 582593