



STRIP MATERIAL NUMBER	FINISH
84525-0017	SELECTIVE TIN 100μ INCH MINIMUM OVER NICKEL 80μ INCH MINIMUM OVERALL
84525-0039	SELECTIVE HARD GOLD 30μ INCH MINIMUM WITH SELECTIVE TIN 100μ INCH MINIMUM OVER NICKEL 50μ INCH MINIMUM OVERALL



SECTION A-A  
INSULATION CRIMP

SECTION B-B  
CONDUCTOR CRIMP

- NOTES:
1. TERMINAL MATERIAL: COPPER ALLOY, .0118/0.300 THICK.  
FINISH: SEE CHART.
  2. HOOD MATERIAL: STAINLESS STEEL, .006/0.15 THICK.
  3. STRIP PARTS ARE REELED 3000 PARTS PER REEL AS SHOWN ABOVE.
  4. TERMINAL FOR USE WITH SERIES XRC & ML-XT CONNECTOR ASSEMBLIES.

SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		CURRENT REV DESC: SEE LONG TEXT			<b>molex</b>			
	DIMENSION UNITS	SCALE	EC NO: 168799						
▽ = 0	INCH/[mm]	2:1	DRWN: JFLETCHER	2017/11/21	XRC SOCKET W/SNAP WINDOW				
▽ = 0	GENERAL TOLERANCES (UNLESS SPECIFIED)		CHK'D: JDWALLACE	2018/02/12	14-18 AWG TW 0.075"-0.130" WIRE Ø				
▽ = 0	ANGULAR TOL ± 2.0°		APPR: JDWALLACE	2018/02/20	PRODUCT CUSTOMER DRAWING				
▽ = 0	4 PLACES ±		INITIAL REVISION:			DOCUMENT NUMBER	DOC TYPE	DOC PART	REVISION
▽ = 0	3 PLACES ±		DRWN: JFLETCHER	2016/01/25	845250005	PSD	000	B	
▽ = 0	2 PLACES ± 0.13		APPR: JALEXANDER	2016/02/23	MATERIAL NUMBER			CUSTOMER	SHEET NUMBER
▽ = 0	1 PLACE ± 0.2		THIRD ANGLE PROJECTION			SEE CHART	GENERAL MARKET		1 OF 1
▽ = 0	0 PLACES ±		DRAWING			SERIES			
■ = 0	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		A3-SIZE			84525			
▽ = 0									