


# Gripping Tweezers


Needle-point tips, premium stainless steel

92


- > Premium stainless steel resists most chemicals, salts and acids
- > Used in the chemical, pharmaceutical and electrical industries
- > 80% anti-magnetic (20% magnetic due to weld during manufacturing)
- > Needle-point tips offer extra-fine gripping on very small components and wire
- > 92 91 02 and 92 91 03 have a cross over design



92 21 02, 92 21 04,  
92 21 05 and 92 91 02



92 21 03 and 92 21 06



92 31 01 and 92 91 03



	Product Number	Length	Width	Height	Finish	Style	Gripping Surface	Tip (A)	Tip (B)
	92 21 02	4 3/8"	3/8"	7/16"	premium stainless steel, 80% anti-magnetic, acid resistant	straight	smooth	0.12 mm	0.18 mm
	92 21 03	4 3/8"	3/8"	7/16"	premium stainless steel, 80% anti-magnetic, acid resistant	straight	smooth	0.06 mm	0.12 mm
	92 21 04	3 1/2"	5/16"	3/8"	premium stainless steel, 80% anti-magnetic, acid resistant	straight	smooth	0.09 mm	0.15 mm
	92 21 05	2 3/4"	1/4"	5/16"	premium stainless steel, 80% anti-magnetic, acid resistant	straight	smooth	0.10 mm	0.20 mm
	92 21 06	3 1/8"	1/4"	5/16"	premium stainless steel, 80% anti-magnetic, acid resistant	straight	smooth	0.08 mm	0.13 mm
	92 31 01	4 3/4"	3/8"	7/16"	premium stainless steel, 80% anti-magnetic, acid resistant	45° angled	smooth	0.09 mm	0.16 mm
	92 91 02	4 3/4"	3/8"	7/16"	premium stainless steel, 80% anti-magnetic, acid resistant	straight	smooth	0.12 mm	0.20 mm
	92 91 03	4 1/2"	3/8"	7/16"	premium stainless steel, 80% anti-magnetic, acid resistant	45° angled	smooth	0.22 mm	0.25 mm