

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

| LOC | DIST | REVISIONS   |                           |           |       |
|-----|------|-------------|---------------------------|-----------|-------|
| P   | LTR  | DESCRIPTION | DATE                      | DWN       | APVD  |
| FT  | 0    | C14         | REVISED PER ECO-13-016787 | 29OCT2013 | KH MM |

PHYSICAL PROPERTIES:  
 HOUSING MATERIAL: THERMOPLASTIC, PC  
 FLAMABILITY: UL94V-0  
 COLOR: BLACK



TERMINAL:  
 TERMINALS: BRASS, TIN PLATED  
 SCREWS: 6-32 STEEL, NICKEL PLATED

MECHANICAL:  
 PITCH: .437  
 WIRE RANGE: 14-22 AWG  
 RECOMMENDED TIGHTENING TORQUE: 12IN-LB

ELECTRICAL PROPERTIES:  
 MAX CURRENT: 25A  
 OPERATING VOLTAGE: 300V

ENVIRONMENTAL PROPERTIES:  
 OPERATING TEMP: -40°C TO 120°C

- 1 MARKED WITH WHITE INK APPROX AS SHOWN.
- 2 SEE FIGURE.
- 3 PRELIMINARY PART NUMBER.
- 4 TE LOGO LOCATED APPROXIMATE AREA SHOWN.







|        |        |           |             |
|--------|--------|-----------|-------------|
| 11.764 | 12.110 | 26        | 2-1546671-6 |
| 11.327 | 11.673 | 25        | 2-1546671-5 |
| 10.90  | 11.236 | 24        | 2-1546671-4 |
| 10.453 | 10.799 | 23        | 2-1546671-3 |
| 10.016 | 10.362 | 22        | 2-1546671-2 |
| 9.579  | 9.925  | 21        | 2-1546671-1 |
| 9.142  | 9.488  | 20        | 2-1546671-0 |
| 8.705  | 9.051  | 19        | 1-1546671-9 |
| 8.268  | 8.614  | 18        | 1-1546671-8 |
| 7.831  | 8.177  | 17        | 1-1546671-7 |
| 7.394  | 7.740  | 16        | 3-1546671-4 |
| 7.394  | 7.740  | 16        | 3-1546671-0 |
| 7.394  | 7.740  | 16        | 2-1546671-9 |
| 7.394  | 7.740  | 16        | 1-1546671-6 |
| 6.957  | 7.303  | 15        | 1-1546671-5 |
| 6.520  | 6.866  | 14        | 3-1546671-3 |
| 6.520  | 6.866  | 14        | 2-1546671-8 |
| 6.520  | 6.866  | 14        | 1-1546671-4 |
| 6.083  | 6.429  | 13        | 1-1546671-3 |
| 5.646  | 5.992  | 12        | 1-1546671-2 |
| 5.209  | 5.555  | 11        | 1-1546671-1 |
| 4.772  | 5.118  | 10        | 1-1546671-0 |
| 4.335  | 4.681  | 9         | 2-1546671-7 |
| 4.335  | 4.681  | 9         | 1546671-9   |
| 3.898  | 4.244  | 8         | 1546671-8   |
| 3.461  | 3.807  | 7         | 1546671-7   |
| 3.024  | 3.370  | 6         | 3-1546671-1 |
| 3.024  | 3.370  | 6         | 1546671-6   |
| 2.587  | 2.933  | 5         | 1546671-5   |
| 2.150  | 2.496  | 4         | 1546671-4   |
| 1.713  | 2.059  | 3         | 1546671-3   |
| 1.276  | 1.622  | 2         | 1546671-2   |
| DIM B  | DIM A  | NO OF POS | PART NUMBER |

|  |  |                       |  |               |
|--|--|-----------------------|--|---------------|
| THIS DRAWING IS A CONTROLLED DOCUMENT. |  | DWN S SCHEGEL 4/4/03  | <b>STE</b> TE Connectivity                           |               |
| DIMENSIONS: INCHES                     |  | CHK C RICHARD 4/4/03  |  |               |
| TOLERANCES UNLESS OTHERWISE SPECIFIED: |  | APVD C RICHARD 4/4/03 | NAME   |               |
| 0 PLC ± -                              |  | PRODUCT SPEC          | DOUBLE ROW BARRIER STRIP W/ WIRE CLAMP, .437 SPACING |               |
| 1 PLC ± -                              |  | APPLICATION SPEC      | SIZE   | RESTRICTED TO |
| 2 PLC ± .01                            |  | WEIGHT -              | A3   |               |
| 3 PLC ± .005                           |  |                       | CAGE CODE  |               |
| 4 PLC ± -                              |  |                       | 00779  |               |
| ANGLES ± 2'                            |  |                       | DRAWING NO   |               |
| FINISH -                               |  |                       | C-1546671  |               |
| MATERIAL -                             |  | CUSTOMER DRAWING      |  | SCALE NTS     |
|  |  | SHEET 1 OF 3          |  | REV C14       |

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

|     |      |           |     |             |      |     |      |
|-----|------|-----------|-----|-------------|------|-----|------|
| LOC | DIST | REVISIONS |     |             |      |     |      |
| FT  | 0    | P         | LTR | DESCRIPTION | DATE | DWN | APVD |
|     |      | -         |     | SEE SHEET 1 | -    | -   | -    |



|  |  |        |           |                  |                     |                  |  |   |           |           |        |     |
|--|--|--------|-----------|------------------|---------------------|------------------|--|---|-----------|-----------|--------|-----|
| THIS DRAWING IS A CONTROLLED DOCUMENT. |  | DWN    | S SCHEGEL | 4/4/03           | <br>TE Connectivity | NAME             |  | DOUBLE ROW BARRIER STRIP W/ WIRE CLAMP,<br>.437 SPACING |           |           |        |     |
| DIMENSIONS:<br>INCHES<br>              |  | CHK    | C RICHARD | 4/4/03           |                     | PRODUCT SPEC     |  | SIZE  | A3        | CAGE CODE | 00779  |     |
|  |  | APVD   | C RICHARD | 4/4/03           |                     | APPLICATION SPEC |  | DRAWING NO  | C-1546671 |           |        |     |
| MATERIAL                               |  | FINISH |           | WEIGHT           |                     | RESTRICTED TO    |  | SCALE   | NTS       | SHEET     | 2 OF 3 | REV |
|  |  |        |           | CUSTOMER DRAWING |                     |                  |  |   |           |           |        |     |

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

-. -. .




LOC FT DIST 0

REVISIONS




© COPYRIGHT - By -

ALL RIGHTS RESERVED.

| P | LTR | DESCRIPTION | DATE | DWN | APVD |
|---|-----|-------------|------|-----|------|
| - | -   | SEE SHEET 1 | -    | -   | -    |




3-1546671-0, 3-1546671-4



3-1546671-1

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:  
INCHES



TOLERANCES UNLESS OTHERWISE SPECIFIED:

|        |        |
|--------|--------|
| 0 PLC  | ± -    |
| 1 PLC  | ± -    |
| 2 PLC  | ± .01  |
| 3 PLC  | ± .005 |
| 4 PLC  | ± -    |
| ANGLES | ± 2'   |

MATERIAL

FINISH

DWN S SCHEGEL 4/4/03

CHK C RICHARD 4/4/03

APVD C RICHARD 4/4/03

PRODUCT SPEC

APPLICATION SPEC

WEIGHT -

CUSTOMER DRAWING

**STE** TE Connectivity

NAME  
DOUBLE ROW BARRIER STRIP W/ WIRE CLAMP,  
.437 SPACING

SIZE A3 CAGE CODE 00779 DRAWING NO C-1546671 RESTRICTED TO -

SCALE NTS SHEET 3 OF 3 REV C14