


BOOT, ATM, 2 WAY, RECEPTACLE	DWG NO:	ATM2P-BT-XX	REV:A1	SH: <b>1</b>	OF: 1	]
------------------------------	---------	-------------	--------	--------------	-------	---







<u> </u>		<b>+</b>
13.8±1.0 -		Ø9.6±1.0
<u> </u>		1
	(86.7)	

SEE PART NUMBER CHART

PART NUMBER CHART						
COLOR	PART NUMBER					
GREY	ATM2P-BT					
BLACK	ATM2P-BT-BK					
YELLOW	ATM2P-BT-YW					

NOTES: UNLESS OTHERWISE SPECIFIED

- 1. THIS PART IS USED ON ATM04-2P RECEPTACLE ANY MODIFICTION DOES NOT INCLUDE AN END CAP.
- 2. TEMPERATURE RATING : -29°C TO +100°C [-20°F TO +212°F]
- 3. ALL DIMENSIONS ARE FOR REFERENCE USE ONLY.

	PART N	NUMBER			DESCRIPTION					ITEM	
QUANTITY		MATERIALS LIST									
UNLESS OTHERWISE SPECIFIED  1) All dimensions are in metric(mm). 2) Tolerances are as follows:  1 PL DEC ±0.30 2 PL DEC ±0.08  3) Note reference =   MATERIAL SPECIFICATIONS:  PVC		SIGNATURES DATE		DATE	1 manhanal						
		DRAWN:	BROOK.DING	13MAR20	Amphenol					1	
		CHECKED:	ORION.LI	16MAR20		Sine Systems - www.amphenol-sine.com					
		ENGINEER:			44724 Morley Drive Clinton Township, MI 48036						
		APPROVAL:	TOMMY.XIE	17MAR20						0	
		CUSTOMER:			BOOT, ATM,2 WAY,RECEPTACLE					<u> </u>	
PROCESS SPECIFICATIONS:  NEXT ASS'Y:		SHOWN HEREON ARE THE PROPERTY OF THE AMPHENOL CORPORATION. NO RIGHTS OF REPRODUCTION ARE IMPLIED. ALL DIMENSIONS ARE SUBJECT TO NORMAI		Α	A C- ATM2P-BT-XX				REVISION A 1		
		1									

REF:DTM2P-BT, DTM2P-BT-BK, DTM2P-BT-YW