

Data sheet

3894.0 TS-PSS 2



The TS-PSS 2 DIN rail cutter and punching tool is designed for manually shortening and punching holes in DIN rails (TS 15, TS 35, TS 32) and busbars (10 x 3 mm). The tool can be mounted on a workbench or similar working surface. It can also punch holes of varying dimensions in customized positions. A cross-hole/slotted-hole punch (12 x 6.4 mm) is included in the delivery.

Business data

| | |
|--|---|
| Article number | 3894.0 |
| Article name | TS-PSS 2 |
| GTIN (EAN) | 4044211144104 |
| Packaging unit | 1 |
| Quantity unit | PC |
| Weight per piece (not including packaging) | 14.22 g |
| Weight per piece (including packaging) | 14.22 g |
| Unit of weight | KG |
| Customs number | 84624900 |
| Country of origin | DE |
| Product description | Section Rails Cutting and Punching System |

Data sheet

3894.0 TS-PSS 2



Technical data

Dimensions

| | |
|--------------|-------------------------|
| Lever length | 1000 mm |
| Length limit | 1000 mm (metrisch+inch) |

Application

| | |
|-----------------|---|
| Rail dimensions | TS 35/7,5; TS 35/15; TS 32/15; TS 15/5,5; SS 10 x 3 |
|-----------------|---|

Environmental Product Compliance

| | |
|--------------------------------|------------|
| REACH Conform | yes |
| REACH Reference date | 2023-01-17 |
| REACH Candidate Substance Note | No |
| RoHS Conform | yes |

Media

Accessories
