

**Data sheet | Item number: 282-311**

End and intermediate plate; 4 mm thick; gray

[www.wago.com/282-311](http://www.wago.com/282-311)



Color:

## Data

### Physical data

Width	4 mm / 0.157 inches
Height	62 mm / 2.441 inches

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



Depth	46.4 mm / 1.827 inches
-------	------------------------

## Material Data

Note (material data)

Information on material specifications can be found here

Color	gray
Material group	I
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.132 MJ
Weight	4.4 g

## Environmental requirements

Processing temperature	-35 ... +85 °C
Continuous operating temperature	-60 ... +105 °C

## Commercial data

Product Group	1 (Rail Mounted Terminal Blocks)
eCl@ss 10.0	27-14-11-33
eCl@ss 9.0	27-14-11-33
ETIM 8.0	EC000886
ETIM 7.0	EC000886
PU (SPU)	50 (25) pcs
Packaging type	box
Country of origin	CN
GTIN	4017332286107
Customs tariff number	85389099990

## Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

## Required accessories

### End plate

Fuse terminal block	
<b>Item no.: 282-120</b>	
2-conductor fuse terminal block; for miniature metric fuse 1/4 x 1 mm; without blown fuse indication;	<a href="http://www.wago.com/282-120">www.wago.com/282-120</a>

Subject to changes. Please also observe the further product documentation!



for DIN-rail 35 x 15 and 35 x 7.5; 6 mm<sup>2</sup>; CAGE CLAMP®; 6,00 mm<sup>2</sup>; gray

**Item no.: 282-124**

2-conductor fuse terminal block; for 5 x 20 mm miniature metric fuse; with blown fuse indication by neon lamp; for DIN-rail 35 x 15 and 35 x 7.5; 6 mm<sup>2</sup>; CAGE CLAMP®; 6,00 mm<sup>2</sup>; gray [www.wago.com/282-124](http://www.wago.com/282-124)

**Item no.: 282-126**

2-conductor fuse terminal block; without blown fuse indication; for DIN-rail 35 x 15 and 35 x 7.5; 6 mm<sup>2</sup>; CAGE CLAMP®; 6,00 mm<sup>2</sup>; gray [www.wago.com/282-126](http://www.wago.com/282-126)

**Item no.: 282-128/281-413**

2-conductor fuse terminal block; for glass cartridge fuse ¼" x 1¼"; with blown fuse indication by LED; 24 VDC; for DIN-rail 35 x 15 and 35 x 7.5; 6 mm<sup>2</sup>; CAGE CLAMP®; 6,00 mm<sup>2</sup>; gray [www.wago.com/282-128/281-413](http://www.wago.com/282-128/281-413)

**Item no.: 282-128/281-417**

2-conductor fuse terminal block; for glass cartridge fuse ¼" x 1¼"; with blown fuse indication by neon lamp; for DIN-rail 35 x 15 and 35 x 7.5; 6 mm<sup>2</sup>; CAGE CLAMP®; 6,00 mm<sup>2</sup>; gray [www.wago.com/282-128/281-417](http://www.wago.com/282-128/281-417)

**Item no.: 282-122**

2-conductor fuse terminal block; for 5 x 20 mm miniature metric fuse; without blown fuse indication; for DIN-rail 35 x 15 and 35 x 7.5; 6 mm<sup>2</sup>; CAGE CLAMP®; 6,00 mm<sup>2</sup>; gray [www.wago.com/282-122](http://www.wago.com/282-122)

**Item no.: 282-128/281-418**

2-conductor fuse terminal block; for glass cartridge fuse ¼" x 1¼"; with blown fuse indication by neon lamp; for DIN-rail 35 x 15 and 35 x 7.5; 6 mm<sup>2</sup>; CAGE CLAMP®; 6,00 mm<sup>2</sup>; gray [www.wago.com/282-128/281-418](http://www.wago.com/282-128/281-418)

**Item no.: 282-128**

2-conductor fuse terminal block; for glass cartridge fuse ¼" x 1¼"; without blown fuse indication; for DIN-rail 35 x 15 and 35 x 7.5; 6 mm<sup>2</sup>; CAGE CLAMP®; 6,00 mm<sup>2</sup>; gray [www.wago.com/282-128](http://www.wago.com/282-128)

**Downloads**

**Documentation**

**Bid Text**

282-311 X81 - Datei	2019 年2月19 日	xml 2.6 kB	Download
------------------------	--------------	---------------	----------

282-311 doc - Datei	2017 年6月12 日	doc 22.5 kB	Download
------------------------	--------------	----------------	----------

**Additional Information**

		pdf 2.3 MB	Download
--	--	---------------	----------

**CAD/CAE-Data**

**CAE data**

EPLAN Data Portal 282-311		URL	Download
---------------------------	--	-----	----------

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
 Hansastr. 27  
 32423 Minden  
 Phone: +49571 887-0 | Fax: +49571 887-169  
 Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
 We are always happy to take your call at +49 (571) 887-44222.



WSCAD Universe 282-311

[URL](#)

[Download](#)

ZUKEN Portal 282-311

[URL](#)

[Download](#)

#### CAD data

2D/3D Models 282-311

[URL](#)

[Download](#)

### Environmental Product Compliance

#### Compliance Search

Environmental Product Compliance 282-311

[URL](#)

[Download](#)

End and intermediate plate; 4 mm thick; gray

### Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.