



2.4GHz Gain Antenna

+9dB Gain Antenna

Features

- Omni-directional Gain Antenna
- 2400 - 2483MHz
- Active gain: +9dBi
- Compliant with IEEE 802.11b and 802.11g wireless LANs
- 90deg Hinged SMA Connector
- VSWR <2.0
- Vertical Polarization
- 50ohm Impedance
- Dims 375 x 15mm
- Operating Temp -40 to +65°C
- SMA Male / SMA Male Rev Polarity
- Weight 50g

Applications

- Boost Wi-fi Router System Range
- Wi-Fi and 2.4GHz Systems
- Range Extension




Description

A rugged high Gain Antenna for 2.4GHz / WLAN applications where high performance is required.

Ordering Information

| Part Number | Description | Connector |
|------------------|--------------------|---|
| ANT-2WHIP9-SMA | +9dBi Whip Antenna | Adjustable SMA Male |
| ANT-2WHIP9-SMARP | +9dBi Whip Antenna | Adjustable SMA-RP (Reverse polarity Male) |


Performance Characteristics #1



測試方法：




Performance Characteristics #2



測試方法：




Performance Characteristics #3



測試方法：



Performance Characteristics #4




測試方法：



2.4GHz Antenna



Mechanical Detail



RF Solutions Ltd. Recycling Notice

Meets the following EC Directives:

DO NOT

Discard with normal waste, please recycle.

ROHS Directive 2011/65/EU and amendment 2015/863/EU

Specifies certain limits for hazardous substances.

WEEE Directive 2012/19/EU

Waste electrical & electronic equipment. This product must be disposed of through a licensed WEEE collection point. RF Solutions Ltd., fulfils its WEEE obligations by membership of an approved compliance scheme. Environment Agency Registration Number: **WEE/JB0104WV**.



Disclaimer:

Whilst the information in this document is believed to be correct at the time of issue, R.F.Solutions Ltd does not accept any liability whatsoever for its accuracy, adequacy or completeness. No express or implied warranty or representation is given relating to the information contained in this document. R.F.Solutions Ltd reserves the right to make changes and improvements to the product(s) described herein without notice. Buyers and other users should determine for themselves the suitability of any such information or products for their own particular requirements or specification(s). R.F.Solutions Ltd shall not be liable for any loss or damage caused as a result of user's own determination of how to deploy or use R.F.Solutions Ltd's products. Use of R.F.Solutions Ltd products or components in life support and/or safety applications is not authorised except with express written approval. No licences are created, implicitly or otherwise, under any of R.F.Solutions Ltd's intellectual property rights. Liability for loss or damage resulting or caused by reliance on the information contained herein or from the use of the product (including liability resulting from negligence or where R.F.Solutions Ltd was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict R.F.Solutions Ltd's liability for death or personal injury resulting from its negligence.