# 2-2172091-2 - ACTIVE

TE Internal #: 2-2172091-2 Standard Circular Connectors, Wire-to-Board, 3 Position, Sealable, Signal, Panel Mount, Reverse Gender, Nickel, Zinc Alloy, A Polarization Code

#### View on TE.com >



Connectors > Circular Connectors > Standard Circular Connectors



Connector System: Wire-to-Board

Number of Positions: 3

Sealable: Yes

Contact Current Rating (Max): 3A

Circuit Application: Signal

# Features

Product Type Features

Product Type	Connector Assembly
Connector System	Wire-to-Board
Sealable	Yes
Circular Connector Type	Receptacle
Shell Type	Metal
Configuration Features	
Number of Positions	3
Number of Power Positions	0
Number of Signal Positions	3
Contacts Preloaded	Yes
Electrical Characteristics	
EMI & RFI Protection & Suppression Type	Shielding
Body Features	
Shell Plating Material	Nickel

# 2-2172091-2

Standard Circular Connectors, Wire-to-Board, 3 Position, Sealable, Signal, Panel Mount, Reverse Gender, Nickel, Zinc Alloy, A Polarization Code



Shell Base Material	Zinc Alloy
Circular Connector Insulation Material Type	Polyamide
Contact Features	
Contact Current Rating (Max)	3 A
Reverse Gender	Yes
Contact Layout Arrangement	Circular
Circular Connector Contact Type	Socket
Mechanical Attachment	
Connector Mounting Type	Panel Mount
Polarization Code	A
Mating Alignment Type	Keyed
Mating Retention	With
Housing Features	
Circular Connector Shell Size	12
Usage Conditions	
IP Water Sealing Level	7
IP Dust Sealing Level	6
Operating Temperature Range	-40 - 80 °C[-40 - 176 °F]
Operation/Application	
Circuit Application	Signal
Shielded	Yes
<b>Product Compliance</b> For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023

# 2-2172091-2

Standard Circular Connectors, Wire-to-Board, 3 Position, Sealable, Signal, Panel Mount, Reverse Gender, Nickel, Zinc Alloy, A Polarization Code



Halogen Content

Low Bromine/Chlorine - Br and Cl < 900 ppm per homogenous material. Also BFR /CFR/PVC Free

Solder Process Capability

Not reviewed for solder process capability


#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**



# **Customers Also Bought**



# 2-2172091-2

Standard Circular Connectors, Wire-to-Board, 3 Position, Sealable, Signal, Panel Mount, Reverse Gender, Nickel, Zinc Alloy, A Polarization Code





# Documents

# Product Drawings M8.FMLE.PNLREAR.3POS.PCBSTAND.RA.SHLD

English

**CAD** Files

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_2-2172091-2\_A.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_2-2172091-2\_A.3d\_igs.zip

English

Customer View Model

### ENG\_CVM\_CVM\_2-2172091-2\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages M8 / M12 Connector System Catalog

English

M8 / M12 Connector System Catalog

Japanese

Product Specifications Application Specification

English