TE Internal #: 148714-1

Eurocard Connectors, Plug, Board-to-Board, 48 Position, .1 in [2.54 mm] Centerline, Printed Circuit Board, 3 Row, Right Angle, 16

Column

View on TE.com >



Connectors > PCB Connectors > Backplane Connectors > Eurocard Connectors











Connector & Housing Type: Plug
Connector System: Board-to-Board

Termination Post & Tail Length: 3.3 mm [.13 in]

Number of Positions: 48

Centerline (Pitch): 2.54 mm [.1 in]

Features

Product Type Features

| Connector & Housing Type | Plug |
|-----------------------------------|-----------------------|
| Connector System | Board-to-Board |
| Connector & Contact Terminates To | Printed Circuit Board |
| DIN Size | Half |
| DIN Level | II |

Configuration Features

| Number of Positions | 48 |
|----------------------------|-------------|
| Number of Rows | 3 |
| PCB Mount Orientation | Right Angle |
| Number of Columns | 16 |
| Number of Signal Positions | 48 |
| Rows Loaded | A, B, C |

Termination Features

| Termination Post & Tail Length | 3.3 mm[.13 in] |
|--------------------------------|--------------------|
| Terrimation Fost & Fair Length | 3.3 11111[.13 111] |



Mechanical Attachment

| Connector Mounting Type | Board Mount |
|-----------------------------|----------------------------|
| Housing Features | |
| Centerline (Pitch) | 2.54 mm[.1 in] |
| Dimensions | |
| Row-to-Row Spacing | 2.54 mm[.1 in] |
| Usage Conditions | |
| Operating Temperature Range | -55 – 105 °C[-67 – 221 °F] |
| Operation/Application | |
| Circuit Application | Signal |

Product Compliance

For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU | Compliant |
|---|--|
| EU ELV Directive 2000/53/EC | Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC |
| Halogen Content | Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free |
| Solder Process Capability | Wave solder capable to 265°C |

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach



Compatible Parts



Customers Also Bought

















Documents

Product Drawings
ASSY,PIN,EURO,"C/2",L-FREE,

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_148714-1_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_148714-1_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_148714-1_A.3d_stp.zip

Eurocard Connectors, Plug, Board-to-Board, 48 Position, .1 in [2.54 mm] Centerline, Printed Circuit Board, 3 Row, Right Angle, 16 Column



English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.