Data sheet | Item number: 811-612

Coupling kit; for 12 poles; red

www.wago.com/811-612



Color:
JOIDI.

Data Material Data

Note (material data)

Information on material specifications can be found here

 $\label{thm:continuity} \textbf{Subject to changes. Please also observe the further product documentation!}$

WAGO GmbH & Co. KG Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.

Data sheet | Item number: 811-612

www.wago.com/811-612



Color	red
Weight	9 g

Commercial data

Product Group	1 (Rail Mounted Terminal Blocks)
eCl@ss 10.0	27-14-11-92
eCl@ss 9.0	27-14-11-92
ETIM 8.0	EC002848
ETIM 7.0	EC002848
PU (SPU)	1 pcs
Packaging type	bag
Country of origin	CN
GTIN	4055144044218
Customs tariff number	85369095000

Environmental Product Compliance

RoHS Compliance Status Compliant, No Exemption

Downloads

Documentation

Additional Information

pdf Download 2.2 MB

CAD/CAE-Data

CAE data

EPLAN Data Portal 811-612 URL Download

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 811-612 URL Download

Coupling kit; for 12 poles; red

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.

Data sheet | Item number: 811-612

www.wago.com/811-612



Installation Notes
Installation

Creating a 2- or 3-pole fuse terminal block via coupling kit.

 $\label{thm:condition} \textbf{Subject to changes. Please also observe the further product documentation!}$

WAGO GmbH & Co. KG Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.