

2404201

https://www.phoenixcontact.com/us/products/2404201

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Emalytics Controller license for an additional 1250 data points

Commercial data

| Item number | 2404201 |
|--------------------------------------|--------------------------------|
| Packing unit | 1 pc |
| Minimum order quantity | 1 pc |
| Note | Made to order (non-returnable) |
| Sales key | DR18 |
| Product key | DRHBAA |
| GTIN | 4055626349503 |
| Weight per piece (including packing) | 0.001 MGM |
| Weight per piece (excluding packing) | 0.001 MGM |
| Customs tariff number | 49119900 |
| Country of origin | US |



2404201

https://www.phoenixcontact.com/us/products/2404201

Technical data

Product properties

| Product type | Building management system |
|----------------------------------|---|
| Area of application | Building technology |
| otore properties | |
| stem properties | |
| Type of software | Embedded |
| Intended use for the software | Automation |
| | Engineering |
| icense information | |
| Type of license | Runtime license |
| | Upgrade license |
| License duration | nicht relevant |
| Functionality | |
| Integrated function | Analysis |
| | Data acquisition |
| | Diagnostics |
| | Startup |
| | Communication |
| | Configuration |
| | Project planning |
| | Simulation |
| Target system | Automation station |
| Supported controllers | ILC 2050 BI |
| Number of data points (embedded) | 1250 |
| Number of clients | nicht relevant |
| System requirements | |
| Operating system | Windows [®] 10 |
| | Windows [®] 8.1 Enterprise (64-Bit) |
| | Windows [®] Server 2012 Standard |
| | Windows [®] Server 2012 R2 Standard |
| Hard disk memory | min. 4 GByte (more recommended depending on the archiving requirements) |
| RAM | min. 1 GByte |
| Interferen | 1 x Ethernet (10/100 Mbps), RJ45 |
| Interfaces | 1 X Ethernet (10/100 Mbps), RJ45 |
| Languages supported | German, English |



2404201

https://www.phoenixcontact.com/us/products/2404201

Classifications

UNSPSC 21.0

ECLASS

| 27242590 |
|----------|
| 27242590 |
| 27242590 |
| |
| EC001435 |
| |
| |

43233600



2404201

https://www.phoenixcontact.com/us/products/2404201

Accessories

ILC 2050 BI - Controller

2403160

https://www.phoenixcontact.com/us/products/2403160



Modular Inline controller for automation applications in the fields of building technology, infrastructure, and energy technology. Equipped with two logically separated IP address interfaces each with 2 integrated Fast Ethernet ports. Configurable assignment of the Ethernet ports for the use of the spanning-tree protocol, daisy chain and redundant ring structures for maximum availability. Four LAN, two USB, and two RS-485 interfaces are integrated. The data point connections can be extended with up to 63 Inline I/O modules: digital and analog, function terminals for DALI, pulse counting, MBUS or serial interfaces.

Phoenix Contact 2023 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com