



- ① POSITION NUMBERS SHOWN FOR REFERENCE ONLY.
- ② MATERIAL  
 MOLDED PARTS: POLYESTER, UL 94V-0 RATED, BLACK.  
 CONTACTS: PHOSPHOR BRONZE.  
 BRACKET: ZINC.  
 BOARDLOCK: COPPER ALLOY.
- ③ FINISH  
 CONTACTS: EITHER 0.76µm [.000030] MIN GOLD PLATE FOR A LENGTH OF 3.35 [.132] MIN FROM MATING END OR GOLD FLASH OVER PALLADIUM NICKEL PLATE, 0.76µm [.000030] MIN TOTAL FOR A LENGTH OF 3.35 [.132] MIN FROM MATING END. 3.81µm [.000150] MIN TIN-LEAD FOR A LENGTH OF 3.23 [.127] MIN FROM OPPOSITE END, ALL OVER 1.27µm [.000050] MIN NICKEL UNDERPLATE.  
 BRACKET: 3.81µm [.000150] MIN NICKEL OVER 5.08µm [.000200] MIN COPPER.  
 BOARDLOCK: 5.08µm [.000200] MIN TIN-LEAD OVER 1.27µm [.000050] MIN NICKEL.
- ④ ACTUAL HOLE SIZE USED WILL DEPEND ON TRACE ROUTING REQUIREMENTS BETWEEN HOLES AND CONNECTOR PLACEMENT TECHNIQUE.

OBSOLETE	TRAY	750961-2
	TUBE	750961-1
	PACKAGING	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN H.MOLL	23 SEP 91	Tyco Electronics Corporation Harrisburg, PA 17105-3608	
DIMENSIONS: mm [INCHES]		CHK R.STONE	09 OCT 91	NAME	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD		PRODUCT SPEC	
0 PLC	± .005	-		108-1228	
1 PLC	± .005	-		APPLICATION SPEC	
2 PLC	± 0.15[.005]	-		114-40029	
3 PLC	± .005	-		SIZE	
4 PLC	± .005	-		CAGE CODE DRAWING NO	
ANGLES	± .005	-		A1 00779 C=750961	
MATERIAL	FINISH	WEIGHT		RESTRICTED TO	
		-		-	
		CUSTOMER DRAWING		SCALE 4:1 SHEET 1 OF 1 REV F	