


**Data sheet | Item number: 209-192**

Separator for Ex e/Ex i applications; 3 mm thick; 125.5 mm wide; orange

[www.wago.com/209-192](http://www.wago.com/209-192)



**Data**

**Physical data**

Width	3 mm / 0.118 inches
Height	125.5 mm / 4.941 inches

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



Depth from upper-edge of DIN-rail	64 mm / 2.52 inches
-----------------------------------	---------------------

## Mechanical Data

Mounting type	DIN-35 rail
---------------	-------------

## Material Data

Note (material data)	Information on material specifications can be found here
----------------------	----------------------------------------------------------

Color	orange
Material group	I
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.442 MJ
Weight	15.7 g

## Commercial data

Product Group	2 (Terminal Block Accessories)
eCl@ss 10.0	27-14-11-33
eCl@ss 9.0	27-14-11-33
ETIM 8.0	EC000886
ETIM 7.0	EC000886
PU (SPU)	50 (25) pcs
Packaging type	box
Country of origin	DE
GTIN	4045454654320
Customs tariff number	85389099990

## Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

## Required accessories

### End plate

Through terminal block
------------------------

**Item no.: 280-656**

4-conductor through terminal block; 2.5 mm<sup>2</sup>; suitable for Ex i applications; center marking; for DIN-rail [www.wago.com/280-656](http://www.wago.com/280-656)  
35 x 15 and 35 x 7.5; CAGE CLAMP®; 2,50 mm<sup>2</sup>; blue

**Item no.: 282-604**

Subject to changes. Please also observe the further product documentation!



2-conductor through terminal block; 6 mm <sup>2</sup> ; suitable for Ex i applications; lateral marker slots; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 6,00 mm <sup>2</sup> ; blue	<a href="http://www.wago.com/282-604">www.wago.com/282-604</a>
<b>Item no.: 282-684</b>	
3-conductor through terminal block; 6 mm <sup>2</sup> ; suitable for Ex i applications; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 6,00 mm <sup>2</sup> ; blue	<a href="http://www.wago.com/282-684">www.wago.com/282-684</a>
<b>Item no.: 282-691</b>	
2-conductor through terminal block; 6 mm <sup>2</sup> ; suitable for Ex e II applications; lateral marker slots; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 6,00 mm <sup>2</sup> ; light gray	<a href="http://www.wago.com/282-691">www.wago.com/282-691</a>
<b>Item no.: 282-904</b>	
2-conductor through terminal block; 6 mm <sup>2</sup> ; suitable for Ex i applications; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 6,00 mm <sup>2</sup> ; blue	<a href="http://www.wago.com/282-904">www.wago.com/282-904</a>
<b>Item no.: 282-993</b>	
3-conductor through terminal block; 6 mm <sup>2</sup> ; suitable for Ex e II applications; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 6,00 mm <sup>2</sup> ; light gray	<a href="http://www.wago.com/282-993">www.wago.com/282-993</a>
<b>Item no.: 282-992</b>	
2-conductor through terminal block; 6 mm <sup>2</sup> ; suitable for Ex e II applications; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 6,00 mm <sup>2</sup> ; light gray	<a href="http://www.wago.com/282-992">www.wago.com/282-992</a>
<b>Item no.: 280-998</b>	
3-conductor through terminal block; 2.5 mm <sup>2</sup> ; suitable for Ex e II applications; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 2,50 mm <sup>2</sup> ; light gray	<a href="http://www.wago.com/280-998">www.wago.com/280-998</a>
<b>Item no.: 280-999</b>	
4-conductor through terminal block; 2.5 mm <sup>2</sup> ; suitable for Ex e II applications; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 2,50 mm <sup>2</sup> ; light gray	<a href="http://www.wago.com/280-999">www.wago.com/280-999</a>
<b>Item no.: 280-996</b>	
4-conductor through terminal block; 2.5 mm <sup>2</sup> ; suitable for Ex e II applications; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 2,50 mm <sup>2</sup> ; light gray	<a href="http://www.wago.com/280-996">www.wago.com/280-996</a>
<b>Item no.: 280-994</b>	
4-conductor through terminal block; 2.5 mm <sup>2</sup> ; suitable for Ex e II applications; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 2,50 mm <sup>2</sup> ; light gray	<a href="http://www.wago.com/280-994">www.wago.com/280-994</a>
<b>Item no.: 281-604</b>	
2-conductor through terminal block; 4 mm <sup>2</sup> ; suitable for Ex i applications; lateral marker slots; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 4,00 mm <sup>2</sup> ; blue	<a href="http://www.wago.com/281-604">www.wago.com/281-604</a>
<b>Item no.: 281-651</b>	
3-conductor through terminal block; 4 mm <sup>2</sup> ; suitable for Ex i applications; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 4,00 mm <sup>2</sup> ; blue	<a href="http://www.wago.com/281-651">www.wago.com/281-651</a>
<b>Item no.: 281-654</b>	
4-conductor through terminal block; 4 mm <sup>2</sup> ; suitable for Ex i applications; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 4,00 mm <sup>2</sup> ; blue	<a href="http://www.wago.com/281-654">www.wago.com/281-654</a>
<b>Item no.: 281-691</b>	
2-conductor through terminal block; 4 mm <sup>2</sup> ; suitable for Ex e II applications; lateral marker slots; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 4,00 mm <sup>2</sup> ; light gray	<a href="http://www.wago.com/281-691">www.wago.com/281-691</a>
<b>Item no.: 281-684</b>	
3-conductor through terminal block; 4 mm <sup>2</sup> ; suitable for Ex i applications; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 4,00 mm <sup>2</sup> ; blue	<a href="http://www.wago.com/281-684">www.wago.com/281-684</a>
<b>Item no.: 281-904</b>	
2-conductor through terminal block; 4 mm <sup>2</sup> ; suitable for Ex i applications; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 4,00 mm <sup>2</sup> ; blue	<a href="http://www.wago.com/281-904">www.wago.com/281-904</a>

Subject to changes. Please also observe the further product documentation!

**Item no.: 281-992**

2-conductor through terminal block; 4 mm<sup>2</sup>; suitable for Ex e II applications; center marking; for DIN-rail [www.wago.com/281-992](http://www.wago.com/281-992)  
35 x 15 and 35 x 7.5; CAGE CLAMP®; 4,00 mm<sup>2</sup>; light gray

**Item no.: 281-993**

3-conductor through terminal block; 4 mm<sup>2</sup>; suitable for Ex e II applications; center marking; for DIN-rail [www.wago.com/281-993](http://www.wago.com/281-993)  
35 x 15 and 35 x 7.5; CAGE CLAMP®; 4,00 mm<sup>2</sup>; light gray

**Item no.: 281-994**

4-conductor through terminal block; 4 mm<sup>2</sup>; suitable for Ex e II applications; center marking; for DIN-rail [www.wago.com/281-994](http://www.wago.com/281-994)  
35 x 15 and 35 x 7.5; CAGE CLAMP®; 4,00 mm<sup>2</sup>; light gray

**Item no.: 281-998**

3-conductor through terminal block; 4 mm<sup>2</sup>; suitable for Ex e II applications; center marking; for DIN-rail [www.wago.com/281-998](http://www.wago.com/281-998)  
35 x 15 and 35 x 7.5; CAGE CLAMP®; 4,00 mm<sup>2</sup>; light gray

**Item no.: 280-651**

3-conductor through terminal block; 2.5 mm<sup>2</sup>; suitable for Ex i applications; center marking; for DIN-rail [www.wago.com/280-651](http://www.wago.com/280-651)  
35 x 15 and 35 x 7.5; CAGE CLAMP®; 2,50 mm<sup>2</sup>; blue

## Double potential terminal block

**Item no.: 280-989**

Double potential terminal block; 2.5 mm<sup>2</sup>; suitable for Ex e II applications; lateral marker slots; for DIN-rail [www.wago.com/280-989](http://www.wago.com/280-989)  
35 x 15 and 35 x 7.5; CAGE CLAMP®; 2,50 mm<sup>2</sup>; light gray

**Item no.: 280-995**

Double potential terminal block; 2.5 mm<sup>2</sup>; suitable for Ex e II applications; with double, center marker slot; for DIN-rail [www.wago.com/280-995](http://www.wago.com/280-995)  
35 x 15 and 35 x 7.5; CAGE CLAMP®; 2,50 mm<sup>2</sup>; light gray

## Ground terminal block

**Item no.: 282-607/999-950**

2-conductor ground terminal block; 6 mm<sup>2</sup>; suitable for Ex e II applications; lateral marker slots; for DIN-rail [www.wago.com/282-607/999-950](http://www.wago.com/282-607/999-950)  
35 x 15 and 35 x 7.5; CAGE CLAMP®; 6,00 mm<sup>2</sup>; green-yellow

**Item no.: 282-687/999-950**

3-conductor ground terminal block; 6 mm<sup>2</sup>; suitable for Ex e II applications; center marking; for DIN-rail [www.wago.com/282-687/999-950](http://www.wago.com/282-687/999-950)  
35 x 15 and 35 x 7.5; CAGE CLAMP®; 6,00 mm<sup>2</sup>; green-yellow

**Item no.: 282-907/999-950**

2-conductor ground terminal block; 6 mm<sup>2</sup>; suitable for Ex e II applications; center marking; for DIN-rail [www.wago.com/282-907/999-950](http://www.wago.com/282-907/999-950)  
35 x 15 and 35 x 7.5; CAGE CLAMP®; 6,00 mm<sup>2</sup>; green-yellow

**Item no.: 281-607/999-950**

2-conductor ground terminal block; 4 mm<sup>2</sup>; suitable for Ex e II applications; lateral marker slots; for DIN-rail [www.wago.com/281-607/999-950](http://www.wago.com/281-607/999-950)  
35 x 15 and 35 x 7.5; CAGE CLAMP®; 4,00 mm<sup>2</sup>; green-yellow

**Item no.: 281-637/999-950**

3-conductor ground terminal block; 4 mm<sup>2</sup>; suitable for Ex e II applications; center marking; for DIN-rail [www.wago.com/281-637/999-950](http://www.wago.com/281-637/999-950)  
35 x 15 and 35 x 7.5; CAGE CLAMP®; 4,00 mm<sup>2</sup>; green-yellow

**Item no.: 281-657/999-950**

4-conductor ground terminal block; 4 mm<sup>2</sup>; suitable for Ex e II applications; center marking; for DIN-rail [www.wago.com/281-657/999-950](http://www.wago.com/281-657/999-950)  
35 x 15 and 35 x 7.5; CAGE CLAMP®; 4,00 mm<sup>2</sup>; green-yellow

**Item no.: 281-687/999-950**

3-conductor ground terminal block; 4 mm<sup>2</sup>; suitable for Ex e II applications; center marking; for DIN-rail [www.wago.com/281-687/999-950](http://www.wago.com/281-687/999-950)  
35 x 15 and 35 x 7.5; CAGE CLAMP®; 4,00 mm<sup>2</sup>; green-yellow

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.



<b>Item no.: 281-907/999-950</b> 2-conductor ground terminal block; 4 mm <sup>2</sup> ; suitable for Ex e II applications; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 4,00 mm <sup>2</sup> ; green-yellow	<a href="http://www.wago.com/281-907/999-950">www.wago.com/281-907/999-950</a>
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------

<b>Item no.: 280-637/999-950</b> 3-conductor ground terminal block; 2.5 mm <sup>2</sup> ; suitable for Ex e II applications; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 2,50 mm <sup>2</sup> ; green-yellow	<a href="http://www.wago.com/280-637/999-950">www.wago.com/280-637/999-950</a>
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------

## Optional accessories

### End plate

#### Through terminal block

<b>Item no.: 2002-2601</b> Double-deck terminal block; Through/through terminal block; same profile as double-deck disconnect terminal block; L/L; without marker carrier; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm <sup>2</sup> ; Push-in CAGE CLAMP®; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2002-2601">www.wago.com/2002-2601</a>
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------

<b>Item no.: 2002-2608</b> Double-deck terminal block; 4-conductor through terminal block; same profile as double-deck disconnect terminal block; L; without marker carrier; internal commoning; conductor entry with violet marking; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm <sup>2</sup> ; Push-in CAGE CLAMP®; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2002-2608">www.wago.com/2002-2608</a>
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------

<b>Item no.: 2002-2604</b> Double-deck terminal block; Through/through terminal block; same profile as double-deck disconnect terminal block; N/N; without marker carrier; suitable for Ex i applications; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm <sup>2</sup> ; Push-in CAGE CLAMP®; 2,50 mm <sup>2</sup> ; blue	<a href="http://www.wago.com/2002-2604">www.wago.com/2002-2604</a>
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------

<b>Item no.: 2002-2603</b> Double-deck terminal block; Through/through terminal block; same profile as double-deck disconnect terminal block; L/N; without marker carrier; Blue conductor entry upper deck; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm <sup>2</sup> ; Push-in CAGE CLAMP®; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2002-2603">www.wago.com/2002-2603</a>
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------

<b>Item no.: 2002-2602</b> Double-deck terminal block; Through/through terminal block; same profile as double-deck disconnect terminal block; N/L; without marker carrier; Blue conductor entry lower deck; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm <sup>2</sup> ; Push-in CAGE CLAMP®; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2002-2602">www.wago.com/2002-2602</a>
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------

<b>Item no.: 2002-2609</b> Double-deck terminal block; 4-conductor through terminal block; same profile as double-deck disconnect terminal block; N; without marker carrier; suitable for Ex i applications; internal commoning; conductor entry with violet marking; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm <sup>2</sup> ; Push-in CAGE CLAMP®; 2,50 mm <sup>2</sup> ; blue	<a href="http://www.wago.com/2002-2609">www.wago.com/2002-2609</a>
------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------

<b>Item no.: 2002-2657</b> Double-deck terminal block; Ground conductor/through terminal block; same profile as double-deck disconnect terminal block; 2.5 mm <sup>2</sup> ; PE/L; without marker carrier; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2002-2657">www.wago.com/2002-2657</a>
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------

<b>Item no.: 2002-2647</b> Double-deck terminal block; Ground conductor/through terminal block; same profile as double-deck disconnect terminal block; 2.5 mm <sup>2</sup> ; PE/N; without marker carrier; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2002-2647">www.wago.com/2002-2647</a>
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------

<b>Item no.: 2002-2201</b> Double-deck terminal block; Through/through terminal block; L/L; without marker carrier; suitable for	<a href="http://www.wago.com/2002-2201">www.wago.com/2002-2201</a>
-------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



Ex e II applications; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm<sup>2</sup>; Push-in CAGE CLAMP<sup>®</sup>; 2,50 mm<sup>2</sup>; gray

**Item no.: 2002-2202**

Double-deck terminal block; Through/through terminal block; N/L; without marker carrier; suitable for Ex e II applications; Blue conductor entry lower deck; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm<sup>2</sup>; Push-in CAGE CLAMP<sup>®</sup>; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2002-2202](http://www.wago.com/2002-2202)

**Item no.: 2002-2204**

Double-deck terminal block; Through/through terminal block; N/N; without marker carrier; for Ex e II and Ex i applications; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm<sup>2</sup>; Push-in CAGE CLAMP<sup>®</sup>; 2,50 mm<sup>2</sup>; blue

[www.wago.com/2002-2204](http://www.wago.com/2002-2204)

**Item no.: 2002-2208**

Double-deck terminal block; 4-conductor through terminal block; L; without marker carrier; suitable for Ex e II applications; internal commoning; conductor entry with violet marking; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm<sup>2</sup>; Push-in CAGE CLAMP<sup>®</sup>; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2002-2208](http://www.wago.com/2002-2208)

**Item no.: 2002-2209**

Double-deck terminal block; 4-conductor through terminal block; N; without marker carrier; for Ex e II and Ex i applications; internal commoning; conductor entry with violet marking; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm<sup>2</sup>; Push-in CAGE CLAMP<sup>®</sup>; 2,50 mm<sup>2</sup>; blue

[www.wago.com/2002-2209](http://www.wago.com/2002-2209)

**Item no.: 2002-2203**

Double-deck terminal block; Through/through terminal block; L/N; without marker carrier; suitable for Ex e II applications; Blue conductor entry upper deck; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm<sup>2</sup>; Push-in CAGE CLAMP<sup>®</sup>; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2002-2203](http://www.wago.com/2002-2203)

**Item no.: 2002-2217**

Double-deck terminal block; Ground conductor/through terminal block; 2.5 mm<sup>2</sup>; PE/N; suitable for Ex e II applications; without marker carrier; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP<sup>®</sup>; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2002-2217](http://www.wago.com/2002-2217)

**Item no.: 2002-2227**

Double-deck terminal block; Ground conductor/through terminal block; 2.5 mm<sup>2</sup>; PE/L; suitable for Ex e II applications; without marker carrier; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP<sup>®</sup>; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2002-2227](http://www.wago.com/2002-2227)

**Item no.: 2002-2231**

Double-deck terminal block; Through/through terminal block; L/L; with marker carrier; suitable for Ex e II applications; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm<sup>2</sup>; Push-in CAGE CLAMP<sup>®</sup>; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2002-2231](http://www.wago.com/2002-2231)

**Item no.: 2002-2232**

Double-deck terminal block; Through/through terminal block; N/L; with marker carrier; suitable for Ex e II applications; Blue conductor entry lower deck; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm<sup>2</sup>; Push-in CAGE CLAMP<sup>®</sup>; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2002-2232](http://www.wago.com/2002-2232)

**Item no.: 2002-2234**

Double-deck terminal block; Through/through terminal block; N/N; with marker carrier; for Ex e II and Ex i applications; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm<sup>2</sup>; Push-in CAGE CLAMP<sup>®</sup>; 2,50 mm<sup>2</sup>; blue

[www.wago.com/2002-2234](http://www.wago.com/2002-2234)

**Item no.: 2002-2238**

Double-deck terminal block; 4-conductor through terminal block; L; with marker carrier; suitable for Ex e II applications; internal commoning; conductor entry with violet marking; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm<sup>2</sup>; Push-in CAGE CLAMP<sup>®</sup>; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2002-2238](http://www.wago.com/2002-2238)

**Item no.: 2002-2239**

Double-deck terminal block; 4-conductor through terminal block; N; with marker carrier; for Ex e II and Ex i applications; internal commoning; conductor entry with violet marking; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm<sup>2</sup>; Push-in CAGE CLAMP<sup>®</sup>; 2,50 mm<sup>2</sup>; blue

[www.wago.com/2002-2239](http://www.wago.com/2002-2239)

**Item no.: 2002-2247**

Double-deck terminal block; Ground conductor/through terminal block; 2.5 mm<sup>2</sup>; PE/N; suitable for Ex e

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.



II applications; with marker carrier; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm²; gray	<a href="http://www.wago.com/2002-2247">www.wago.com/2002-2247</a>
<b>Item no.: 2002-2233</b> Double-deck terminal block; Through/through terminal block; L/N; with marker carrier; suitable for Ex e II applications; Blue conductor entry upper deck; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm²; Push-in CAGE CLAMP®; 2,50 mm²; gray	<a href="http://www.wago.com/2002-2233">www.wago.com/2002-2233</a>
<b>Item no.: 2002-2257</b> Double-deck terminal block; Ground conductor/through terminal block; 2.5 mm²; PE/L; suitable for Ex e II applications; with marker carrier; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm²; gray	<a href="http://www.wago.com/2002-2257">www.wago.com/2002-2257</a>
<b>Item no.: 870-961</b> Double-deck terminal block; Through/through terminal block; L/L; suitable for Ex e II applications; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm²; CAGE CLAMP®; 2,50 mm²; light gray	<a href="http://www.wago.com/870-961">www.wago.com/870-961</a>
<b>Item no.: 780-604</b> 2-conductor through terminal block; 2.5 mm²; suitable for Ex i applications; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 2,50 mm²; blue	<a href="http://www.wago.com/780-604">www.wago.com/780-604</a>
<b>Item no.: 780-993</b> 3-conductor through terminal block; 2.5 mm²; suitable for Ex e II applications; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 2,50 mm²; light gray	<a href="http://www.wago.com/780-993">www.wago.com/780-993</a>
<b>Item no.: 780-992</b> 2-conductor through terminal block; 2.5 mm²; suitable for Ex e II applications; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 2,50 mm²; light gray	<a href="http://www.wago.com/780-992">www.wago.com/780-992</a>
<b>Item no.: 780-651</b> 3-conductor through terminal block; 2.5 mm²; suitable for Ex i applications; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 2,50 mm²; blue	<a href="http://www.wago.com/780-651">www.wago.com/780-651</a>
<b>Item no.: 781-651</b> 3-conductor through terminal block; 4 mm²; suitable for Ex i applications; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 4,00 mm²; blue	<a href="http://www.wago.com/781-651">www.wago.com/781-651</a>
<b>Item no.: 781-604</b> 2-conductor through terminal block; 4 mm²; suitable for Ex i applications; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 4,00 mm²; blue	<a href="http://www.wago.com/781-604">www.wago.com/781-604</a>
<b>Item no.: 781-992</b> 2-conductor through terminal block; 4 mm²; suitable for Ex e II applications; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 4,00 mm²; light gray	<a href="http://www.wago.com/781-992">www.wago.com/781-992</a>
<b>Item no.: 781-993</b> 3-conductor through terminal block; 4 mm²; suitable for Ex e II applications; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 4,00 mm²; light gray	<a href="http://www.wago.com/781-993">www.wago.com/781-993</a>
<b>Item no.: 782-604</b> 2-conductor through terminal block; 6 mm²; suitable for Ex i applications; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 6,00 mm²; blue	<a href="http://www.wago.com/782-604">www.wago.com/782-604</a>
<b>Item no.: 782-992</b> 2-conductor through terminal block; 6 mm²; suitable for Ex e II applications; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 6,00 mm²; light gray	<a href="http://www.wago.com/782-992">www.wago.com/782-992</a>
<b>Item no.: 784-604</b> 2-conductor through terminal block; 10 mm²; suitable for Ex i applications; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 10,00 mm²; blue	<a href="http://www.wago.com/784-604">www.wago.com/784-604</a>
<b>Item no.: 784-992</b>	

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.

2-conductor through terminal block; 10 mm<sup>2</sup>; suitable for Ex e II applications; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 10,00 mm<sup>2</sup>; light gray [www.wago.com/784-992](http://www.wago.com/784-992)

**Item no.: 870-504**

Double-deck terminal block; Through/through terminal block; N/N; suitable for Ex i applications; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm<sup>2</sup>; CAGE CLAMP®; 2,50 mm<sup>2</sup>; blue [www.wago.com/870-504](http://www.wago.com/870-504)

**Item no.: 870-534**

3-conductor, double-deck terminal block; Through/through terminal block; N/N; suitable for Ex i applications; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm<sup>2</sup>; CAGE CLAMP®; 2,50 mm<sup>2</sup>; blue [www.wago.com/870-534](http://www.wago.com/870-534)

**Item no.: 2002-2206**

Double-deck terminal block; Through/through terminal block; without marker carrier; suitable for Ex e II applications; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm<sup>2</sup>; Push-in CAGE CLAMP®; 2,50 mm<sup>2</sup>; orange [www.wago.com/2002-2206](http://www.wago.com/2002-2206)

## Disconnect terminal block

**Item no.: 2002-2672**

Double-deck disconnect terminal block; with pivoting knife disconnect; N/L; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm<sup>2</sup>; Push-in CAGE CLAMP®; 2,50 mm<sup>2</sup>; gray [www.wago.com/2002-2672](http://www.wago.com/2002-2672)

**Item no.: 2002-2952**

Double-deck, double-disconnect terminal block; with 2 pivoting knife disconnects; N/L; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm<sup>2</sup>; Push-in CAGE CLAMP®; 2,50 mm<sup>2</sup>; gray [www.wago.com/2002-2952](http://www.wago.com/2002-2952)

**Item no.: 2002-2671**

Double-deck disconnect terminal block; with pivoting knife disconnect; L/L; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm<sup>2</sup>; Push-in CAGE CLAMP®; 2,50 mm<sup>2</sup>; gray [www.wago.com/2002-2671](http://www.wago.com/2002-2671)

**Item no.: 2002-2959**

Double-deck, double-disconnect terminal block; with 2 pivoting knife disconnects; lower and upper decks internally commoned on right side; conductor entry with violet marking; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm<sup>2</sup>; Push-in CAGE CLAMP®; 2,50 mm<sup>2</sup>; blue [www.wago.com/2002-2959](http://www.wago.com/2002-2959)

**Item no.: 2002-2954**

Double-deck, double-disconnect terminal block; with 2 pivoting knife disconnects; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm<sup>2</sup>; Push-in CAGE CLAMP®; 2,50 mm<sup>2</sup>; blue [www.wago.com/2002-2954](http://www.wago.com/2002-2954)

**Item no.: 2002-2951**

Double-deck, double-disconnect terminal block; with 2 pivoting knife disconnects; L/L; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm<sup>2</sup>; Push-in CAGE CLAMP®; 2,50 mm<sup>2</sup>; gray [www.wago.com/2002-2951](http://www.wago.com/2002-2951)

**Item no.: 2002-2971**

Double-deck disconnect terminal block; with pivoting knife disconnect; same profile as double-deck, double-disconnect terminal block; L/L; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm<sup>2</sup>; Push-in CAGE CLAMP®; 2,50 mm<sup>2</sup>; gray [www.wago.com/2002-2971](http://www.wago.com/2002-2971)

**Item no.: 2002-2958**

Double-deck, double-disconnect terminal block; with 2 pivoting knife disconnects; lower and upper decks internally commoned on right side; L/L; conductor entry with violet marking; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm<sup>2</sup>; Push-in CAGE CLAMP®; 2,50 mm<sup>2</sup>; gray [www.wago.com/2002-2958](http://www.wago.com/2002-2958)

**Item no.: 2002-2972**

Double-deck disconnect terminal block; with pivoting knife disconnect; same profile as double-deck, double-disconnect terminal block; N/L; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm<sup>2</sup>; Push-in CAGE CLAMP®; 2,50 mm<sup>2</sup>; gray [www.wago.com/2002-2972](http://www.wago.com/2002-2972)

**Item no.: 2002-2974**

Double-deck disconnect terminal block; with pivoting knife disconnect; same profile as double-deck, double-disconnect terminal block; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm<sup>2</sup>; Push-in CAGE CLAMP®; 2,50 mm<sup>2</sup>; blue [www.wago.com/2002-2974](http://www.wago.com/2002-2974)

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.



## Carrier terminal block for modules and plugs

**Item no.: 2002-2941**

Double-deck, double-disconnect terminal block; L/L; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm<sup>2</sup>; Push-in CAGE CLAMP®; 2,50 mm<sup>2</sup>; gray [www.wago.com/2002-2941](http://www.wago.com/2002-2941)

## Carrier terminal block

**Item no.: 2002-2661**

Double-deck carrier terminal block; L/L; upper-deck base; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm<sup>2</sup>; Push-in CAGE CLAMP®; 2,50 mm<sup>2</sup>; gray [www.wago.com/2002-2661](http://www.wago.com/2002-2661)

**Item no.: 2002-2667**

Double-deck carrier terminal block; PE/L; upper-deck base; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm<sup>2</sup>; Push-in CAGE CLAMP®; 2,50 mm<sup>2</sup>; gray [www.wago.com/2002-2667](http://www.wago.com/2002-2667)

**Item no.: 2002-2662**

Double-deck carrier terminal block; N/L; upper-deck base; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm<sup>2</sup>; Push-in CAGE CLAMP®; 2,50 mm<sup>2</sup>; gray [www.wago.com/2002-2662](http://www.wago.com/2002-2662)

**Item no.: 2002-2961**

Double-deck carrier terminal block; L/L; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm<sup>2</sup>; Push-in CAGE CLAMP®; 2,50 mm<sup>2</sup>; gray [www.wago.com/2002-2961](http://www.wago.com/2002-2961)

**Item no.: 2002-2963**

Double-deck carrier terminal block; L/N; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm<sup>2</sup>; Push-in CAGE CLAMP®; 2,50 mm<sup>2</sup>; gray [www.wago.com/2002-2963](http://www.wago.com/2002-2963)

## Ground terminal block

**Item no.: 2002-2607**

Double-deck terminal block; 4-conductor ground terminal block; same profile as double-deck disconnect terminal block; 2.5 mm<sup>2</sup>; PE; internal commoning; without marker carrier; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm<sup>2</sup>; green-yellow [www.wago.com/2002-2607](http://www.wago.com/2002-2607)

**Item no.: 2002-2207**

Double-deck terminal block; 4-conductor ground terminal block; 2.5 mm<sup>2</sup>; PE; suitable for Ex e II applications; without marker carrier; internal commoning; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm<sup>2</sup>; green-yellow [www.wago.com/2002-2207](http://www.wago.com/2002-2207)

**Item no.: 2002-2237**

Double-deck terminal block; 4-conductor ground terminal block; 2.5 mm<sup>2</sup>; PE; suitable for Ex e II applications; with marker carrier; internal commoning; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm<sup>2</sup>; green-yellow [www.wago.com/2002-2237](http://www.wago.com/2002-2237)

**Item no.: 870-967/999-950**

Double-deck terminal block; Ground conductor/through terminal block; 2.5 mm<sup>2</sup>; PE/L; suitable for Ex e II applications; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 2,50 mm<sup>2</sup>; light gray [www.wago.com/870-967/999-950](http://www.wago.com/870-967/999-950)

**Item no.: 780-607/999-950**

2-conductor ground terminal block; 2.5 mm<sup>2</sup>; suitable for Ex e II applications; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 2,50 mm<sup>2</sup>; green-yellow [www.wago.com/780-607/999-950](http://www.wago.com/780-607/999-950)

**Item no.: 780-637/999-950**

3-conductor ground terminal block; 2.5 mm<sup>2</sup>; suitable for Ex e II applications; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 2,50 mm<sup>2</sup>; green-yellow [www.wago.com/780-637/999-950](http://www.wago.com/780-637/999-950)

**Item no.: 781-607/999-950**

2-conductor ground terminal block; 4 mm<sup>2</sup>; suitable for Ex e II applications; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 4,00 mm<sup>2</sup>; green-yellow [www.wago.com/781-607/999-950](http://www.wago.com/781-607/999-950)

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.

**Item no.: 781-637/999-950**

3-conductor ground terminal block; 4 mm<sup>2</sup>; suitable for Ex e II applications; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 4,00 mm<sup>2</sup>; green-yellow

[www.wago.com/781-637/999-950](http://www.wago.com/781-637/999-950)

**Item no.: 782-607/999-950**

2-conductor ground terminal block; 6 mm<sup>2</sup>; suitable for Ex e II applications; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 6,00 mm<sup>2</sup>; green-yellow

[www.wago.com/782-607/999-950](http://www.wago.com/782-607/999-950)

**Item no.: 784-607/999-950**

2-conductor ground terminal block; 10 mm<sup>2</sup>; suitable for Ex e II applications; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 10,00 mm<sup>2</sup>; green-yellow

[www.wago.com/784-607/999-950](http://www.wago.com/784-607/999-950)

## Fuse terminal block

**Item no.: 2002-2611**

Double-deck fuse terminal block; with pivoting fuse holder; Through/Fuse terminal block; for 5 x 20 mm miniature metric fuse; L/L; without blown fuse indication; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm<sup>2</sup>; Push-in CAGE CLAMP®; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2002-2611](http://www.wago.com/2002-2611)

**Item no.: 2002-2611/1000-836**

Double-deck fuse terminal block; with pivoting fuse holder; Through/Fuse terminal block; for 5 x 20 mm miniature metric fuse; with blown fuse indication by LED; 230 V; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm<sup>2</sup>; Push-in CAGE CLAMP®; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2002-2611/1000-836](http://www.wago.com/2002-2611/1000-836)

**Item no.: 2002-2612**

Double-deck fuse terminal block; with pivoting fuse holder; Through/Fuse terminal block; for 5 x 20 mm miniature metric fuse; N/L; without blown fuse indication; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm<sup>2</sup>; Push-in CAGE CLAMP®; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2002-2612](http://www.wago.com/2002-2612)

**Item no.: 2002-2611/1000-867**

Double-deck fuse terminal block; with pivoting fuse holder; Through/Fuse terminal block; for 5 x 20 mm miniature metric fuse; with blown fuse indication by LED; 120 V; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm<sup>2</sup>; Push-in CAGE CLAMP®; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2002-2611/1000-867](http://www.wago.com/2002-2611/1000-867)

**Item no.: 2002-2611/1000-542**

Double-deck fuse terminal block; with pivoting fuse holder; Through/Fuse terminal block; for 5 x 20 mm miniature metric fuse; with blown fuse indication by LED; 30 - 65 V; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm<sup>2</sup>; Push-in CAGE CLAMP®; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2002-2611/1000-542](http://www.wago.com/2002-2611/1000-542)

**Item no.: 2002-2611/1000-541**

Double-deck fuse terminal block; with pivoting fuse holder; Through/Fuse terminal block; for 5 x 20 mm miniature metric fuse; with blown fuse indication by LED; 12 - 30 V; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm<sup>2</sup>; Push-in CAGE CLAMP®; 2,50 mm<sup>2</sup>; gray

[www.wago.com/2002-2611/1000-541](http://www.wago.com/2002-2611/1000-541)

**Downloads****Documentation****Bid Text**

209-192 X81 - Datei	2019 年2月19日	xml 2.6 kB	Download
209-192 doc - Datei	2018 年1月4日	doc 24.1 kB	Download

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.



### Additional Information

pdf  
2.3 MB      Download

---

### CAD/CAE-Data

#### CAE data

EPLAN Data Portal 209-192      URL      Download

---

WSCAD Universe 209-192      URL      Download

---

ZUKEN Portal 209-192      URL      Download

---

#### CAD data

2D/3D Models 209-192      URL      Download

---

### Environmental Product Compliance

#### Compliance Search

Environmental Product Compliance 209-192      URL      Download

Separator for Ex e/Ex i applications; 3 mm thick; 125.5 mm wide; orange

---

### Installation Notes

#### Ex application

---

Subject to changes. Please also observe the further product documentation!



A separator plate is located between the Ex e II and Ex i terminal strip.

End plate

Ex e II terminal blocks


Separator plate for Ex e/Ex i applications

End plate

Ex i terminal blocks

According to EN 50020, a minimum distance of 50 mm must be kept between live parts of Ex e and Ex i circuits. The use of Ex e/Ex i separators is a space-saving solution when Ex e and Ex i terminal blocks are mounted on a common DIN-rail.

### Security



**Ex e II/Ex i terminal strip**

### Note:

The movable feet of terminal blocks and separator plates must face the same direction.

Subject to changes. Please also observe the further product documentation!