




THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
AJ	16				
		C	REVISED PER ECO-05-013873	16NOV05	BM JL



- 1 ZINC PER QQ-Z-363
- 2 BERYLLIUM COPPER PER ASTM-B-196
- 3 PTFE PER MIL-P-19468
- 4 GOLD PLATE PER MIL-G-45204
0.76 μm [.000030] MINIMUM THICK.
- 5 TIN-LEAD PLATE PER ASTM-B-545,
3.04 μm [.000120] MINIMUM THICK.
- 6. SEE INSTRUCTION SHEET 408-9889.



PCB CONFIGURATION

1274359-1
 PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. LIPPERT 9-15-99	Tyco Electronics Corporation Harrisburg, PA 17105-3608	
DIMENSIONS: INCHES		CHK J. LIPPERT 9-15-99		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD J. LIPPERT 9-15-99	NAME JACK, VERTICAL, PCB, 75 OHM, COMMERCIAL BNC	
0 PLC ± - 1 PLC ± - 2 PLC ± 0.20 [.008] 3 PLC ± - 4 PLC ± - ANGLES ± -		PRODUCT SPEC 108-12078	SIZE A2	CAGE CODE 00779
MATERIAL SEE NOTES 1 - 3		FINISH SEE NOTES 4, 5	DRAWING NO C=1274359	RESTRICTED TO -
CUSTOMER DRAWING			SCALE 5:1	SHEET 1 of 1
			REV C	