
1703129-1 - ACTIVE

RAST | RAST 5 IDC Connectors, RAST 5D

TE Internal #: 1703129-1 Housing, Receptacle, Wire-to-Board, 8 Position, .197 in [5 mm] Centerline, Insulation Displacement (IDC), 1 Row, Natural, RAST 5 IDC Connectors

View on TE.com >

Connectors > PCB Connectors > Wire-to-Board Connectors > Wire-to-Board Connector Assemblies & Housings



Connector Product Type: Housing Connector & Housing Type: Receptacle Connector System: Wire-to-Board Number of Positions: 8

Centerline (Pitch): 5 mm [.197 in]

Features



Product Type Features

Connector Product Type	Housing	
Connector & Housing Type	Receptacle	
Connector System	Wire-to-Board	
Sealable	No	
Connector & Contact Terminates To	Wire & Cable	
Configuration Features		
Keying & Polarized Rib Location	2 + 3	
Number of Positions	8	
Number of Rows	1	
Body Features		
Primary Product Color	Natural	
Termination Features		
Termination Method to Wire & Cable	Insulation Displacement (IDC)	

Housing, Receptacle, Wire-to-Board, 8 Position, .197 in [5 mm] Centerline, Insulation Displacement (IDC), 1 Row, Natural, RAST 5 IDC Connectors



Mechanical Attachment

Locking Latch Between Cavity Number	1 + 2, 7 + 8
Mating Retention Type	Lock
Mating Retention	With
Connector Mounting Type	Cable Mount (Free-Hanging)
Housing Features	
Housing Material	PA 6.6
Centerline (Pitch)	5 mm[.197 in]
Usage Conditions	
Operating Temperature Range	-40 - 105 °C[-40 - 221 °F]
Operation/Application	
Circuit Application	Power & Signal
Circuit Application Industry Standards	Power & Signal
	Power & Signal UL 94V-2
Industry Standards	
Industry Standards UL Flammability Rating	

Product Compliance

For compliance documentation, visit the product page on TE.com>


EU RoHS Directive 2011/65/EU	Compliant	
EU ELV Directive 2000/53/EC	Compliant	
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold	
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC	
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free	
Solder Process Capability	Not applicable for solder process capability	
Product Compliance Disclaimer		

Housing, Receptacle, Wire-to-Board, 8 Position, .197 in [5 mm] Centerline, Insulation Displacement (IDC), 1 Row, Natural, RAST 5 IDC Connectors



This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts




Housing, Receptacle, Wire-to-Board, 8 Position, .197 in [5 mm] Centerline, Insulation Displacement (IDC), 1 Row, Natural, RAST 5 IDC Connectors




Also in the Series | RAST 5 IDC Connectors

And a series of the series of	A CARACTER OF A		
Automotive Terminals(8)	Connector Contacts(12)	Crimp Terminal Housings(41)	Insertion & Extraction Tools(1)
		Contraction of the second seco	
PCB Headers & Receptacles(417)	Rectangular Connector Housings(1)	Standard Edge Connectors(34)	Standard Rectangular Connectors(68)




Wire-to-Board Connector Assemblies	Wire-to-Boar
& Housings(214)	

Also in the Series | RAST 5D



Housing, Receptacle, Wire-to-Board, 8 Position, .197 in [5 mm] Centerline, Insulation Displacement (IDC), 1 Row, Natural, RAST 5 IDC Connectors





Customers Also Bought



Documents

Product Drawings 8POS MT - EDGE HOUSING

English



CAD Files

3D PDF

3D

Customer View Model ENG_CVM_CVM_1703129-1_C_c-1703129-1-c.2d_dxf.zip

English

Customer View Model ENG_CVM_CVM_1703129-1_C_c-1703129-1-c.3d_igs.zip English Customer View Model ENG_CVM_CVM_1703129-1_C_c-1703129-1-c.3d_stp.zip English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.