


PART NUMBER	TITLE	CABLE DESCRIPTION	LENGTH 'L'	CABLE COLOR
2174821222	MINIFIT SR. M-M 150MM 8 AWG LEAD BK Au	1X8AWG DISC PVC BK UL 10669	150±5	BLACK
2174821223	MINIFIT SR. M-M 225MM 8 AWG LEAD BK Au	1X8AWG DISC PVC BK UL 10669	225±5	BLACK
2174821224	MINIFIT SR. M-M 300MM 8 AWG LEAD BK Au	1X8AWG DISC PVC BK UL 10669	300±5	BLACK
2174821225	MINIFIT SR. M-M 450MM 8 AWG LEAD BK Au	1X8AWG DISC PVC BK UL 10669	450±5	BLACK
2174822222	MINIFIT SR. M-M 150MM 8 AWG LEAD RD Au	1X8AWG DISC PVC RD UL 10669	150±5	RED
2174822223	MINIFIT SR. M-M 225MM 8 AWG LEAD RD Au	1X8AWG DISC PVC RD UL 10669	225±5	RED
2174822224	MINIFIT SR. M-M 300MM 8 AWG LEAD RD Au	1X8AWG DISC PVC RD UL 10669	300±5	RED
2174822225	MINIFIT SR. M-M 450MM 8 AWG LEAD RD Au	1X8AWG DISC PVC RD UL 10669	450±5	RED



ITEM	PART#	DESCRIPTION	QTY	UOM
A	428170032	MiniFit Sr M Crp Term 8awg Sau	2	PC

**NOTES:**

1. Crimping to be done as per Molex standards.
2. The product specification relies on the terminals & wire spec.

REVISION			
DATE	REV	DESCRIPTION	CHANGER
2021/02/05	A	INITIAL RELEASE	AS20
DOCUMENT STATUS	P1	RELEASE DATE	2021/02/05 14:38:07

FUNCTIONAL SYMBOLS FA = 0 FE = 0 FP = 0	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		CURRENT REV DESC:		<b>molex</b>
	DIMENSION UNITS <b>mm</b>	SCALE <b>NTS</b>	EC NO: 654859 DRWN: AS20 CHK'D: RDESAI01 APPR: RDESAI01		
DIVISIONAL SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		INITIAL REVISION:		DOCUMENT NUMBER
	ANGULAR TOL ± °	4 PLACES ±	3 PLACES ±	2 PLACES ±	2021/02/05
	3 PLACES ±	2 PLACES ±	1 PLACE ±	0 PLACES ±	2021/02/05
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION	DRAWING	SERIES
				A4-SIZE	217482
					MATERIAL NUMBER
					2174821222
					DOC TYPE
					PSD
					DOC PART
					000
					REVISION
					A
					SHEET NUMBER
					1 OF 1