


PART NUMBER DATA							
CIRCUITS	PART NUMBER	ENGINEERING NUMBER	COLOR	A IN mm		B IN mm	
2	397520002	M351P-01-02-3	GREEN	.26	6.5	.138	3.50
3	397520003	M351P-01-03-3	GREEN	.39	10.0	.276	7.00
4	397520004	M351P-01-04-3	GREEN	.53	13.5	.413	10.50
5	397520005	M351P-01-05-3	GREEN	.67	17.0	.551	14.00
6	397520006	M351P-01-06-3	GREEN	.81	20.5	.689	17.50
7	397520007	M351P-01-07-3	GREEN	.94	24.0	.827	21.00
8	397520008	M351P-01-08-3	GREEN	1.08	27.5	.965	24.50
9	397520009	M351P-01-09-3	GREEN	1.22	31.0	1.102	28.00
10	397520010	M351P-01-10-3	GREEN	1.36	34.5	1.240	31.50
11	397520011	M351P-01-11-3	GREEN	1.50	38.0	1.378	35.00
12	397520012	M351P-01-12-3	GREEN	1.63	41.5	1.516	38.50
13		M351P-01-13-3	GREEN	1.77	45.0	1.654	42.00
14		M351P-01-14-3	GREEN	1.91	48.5	1.791	45.50
15		M351P-01-15-3	GREEN	2.05	52.0	1.929	49.00
16		M351P-01-16-3	GREEN	2.18	55.5	2.067	52.50
17		M351P-01-17-3	GREEN	2.32	59.0	2.205	56.00
18		M351P-01-18-3	GREEN	2.46	62.5	2.343	59.50
19		M351P-01-19-3	GREEN	2.60	66.0	2.480	63.00
20		M351P-01-20-3	GREEN	2.74	69.5	2.618	66.50
21		M351P-01-21-3	GREEN	2.87	73.0	2.756	70.00
22		M351P-01-22-3	GREEN	3.01	76.5	2.894	73.50
23		M351P-01-23-3	GREEN	3.15	80.0	3.031	77.00
24		M351P-01-24-3	GREEN	3.29	83.5	3.169	80.50

REF. THE LAST 2 DIGITS OF THE PART NUMBER EQUAL CIRCUIT COUNT

ENGINEERING NUMBER LEGEND



CONTACT FACTORY FOR OPTIONAL COLORS

SPECIFICATIONS

- MATERIAL:
  - A. BODY: PA66, UL94V-0
  - B. TERMINAL: BRASS. TIN PLATED
- RATING: 125V, 8A
- OPERATING TEMPERATURE: -40°C TO +105° C
- MAX SOLDERING: 260° C (+500° F) FOR 5 SECONDS
- DIMS SHOWN ARE FOR REFERENCE ONLY

TOLERANCES			
MM	TOL	INCH	TOL
0-6	±0.25	0-.24	±.010
>6-30	±0.40	.24-1.18	±.016
>30-120	±0.50	1.18-4.76	±.020
>120	±0.80	>4.76	±.031

REVISED DOC TOL EC NO: IPG2017-0881 DRWN: ABENJAMI CHKD: --- APPR: BRUPERT 2014/10/16	4/6/17 DESCRIPTION 2014/10/16	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
		▽=0 ▽=0	mm INCH 4 PLACES ±--- ±--- 3 PLACES ±--- ±--- 2 PLACES ±--- ±--- 1 PLACE ±--- ±--- ANGULAR ±---°	IN/MM	---	METRIC	PIN HEADER-BREAKABLE 3.50MM, VERTICAL
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	DRAWN BY DATE RSTONE 2014/07/25 CHECKED BY DATE G FARNSW --- APPROVED BY DATE JFMURPHY 2014/10/16	MATERIAL NO. SEE CHART	TITLE MOLEX INCORPORATED	SHEET NO. 1 OF 1	
		2	REV	SIZE B	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		