

Data sheet | Item number: 826-158

End plate; snap-fit type; 1.5 mm thick; gray

www.wago.com/826-158



Data

Physical data

Width	1.5 mm / 0.059 inches
Height	20 mm / 0.787 inches

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Depth	42.5 mm / 1.673 inches
-------	------------------------

Mechanical Data

Mounting type	snap-on type
---------------	--------------

Material Data

Note (material data)	Information on material specifications can be found here
----------------------	--

Color	gray
Material group	I
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.058 MJ
Weight	0.9 g

Commercial data

Product Group	4 (Printed Circuit Connectors)
eCl@ss 10.0	27-14-11-33
eCl@ss 9.0	27-14-11-33
ETIM 8.0	EC000886
ETIM 7.0	EC000886
PU (SPU)	100 (25) pcs
Packaging type	box
Country of origin	DE
GTIN	4017332607193
Customs tariff number	85389099990

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Approvals / Certificates

Approvals for marine applications

Logo	Approval	Additional Approval Text	Certificate name
	LR Lloyds Register	IEC 61984	96/20035 (E5)

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
 Hansastr. 27
 32423 Minden
 Phone: +49571 887-0 | Fax: +49571 887-169
 Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
 We are always happy to take your call at +49 (571) 887-44222.



Required accessories

End plate

Feedthrough terminal block	
Item no.: 826-160 Modular, panel feedthrough center terminal block; Conductor/conductor connection; Plate thickness: 1 ... 4 mm; 4 mm ² ; Pin spacing 7 mm; 1-pole; CAGE CLAMP®; 4,00 mm ² ; gray	www.wago.com/826-160
Item no.: 826-159/000-006 Modular, panel feedthrough end terminal block; Conductor/conductor connection; Plate thickness: 1 ... 4 mm; 4 mm ² ; Pin spacing 7 mm; 1-pole; CAGE CLAMP®; 4,00 mm ² ; blue	www.wago.com/826-159/000-006
Item no.: 826-160/000-016 Modular ground feedthrough center terminal block; Conductor/conductor connection; Plate thickness: 1 ... 4 mm; 4 mm ² ; Pin spacing 7 mm; 1-pole; CAGE CLAMP®; 4,00 mm ² ; green-yellow	www.wago.com/826-160/000-016
Item no.: 826-160/000-006 Modular, panel feedthrough center terminal block; Conductor/conductor connection; Plate thickness: 1 ... 4 mm; 4 mm ² ; Pin spacing 7 mm; 1-pole; CAGE CLAMP®; 4,00 mm ² ; blue	www.wago.com/826-160/000-006
Item no.: 826-159/000-016 Modular ground feedthrough end terminal block; Conductor/conductor connection; Plate thickness: 1 ... 4 mm; 4 mm ² ; Pin spacing 7 mm; 1-pole; CAGE CLAMP®; 4,00 mm ² ; green-yellow	www.wago.com/826-159/000-016
Item no.: 826-159 Modular, panel feedthrough end terminal block; Conductor/conductor connection; Plate thickness: 1 ... 4 mm; 4 mm ² ; Pin spacing 7 mm; 1-pole; CAGE CLAMP®; 4,00 mm ² ; gray	www.wago.com/826-159

Downloads

Documentation

Additional Information

	2019 年4月3日	pdf 2.0 MB	Download
--	------------	---------------	----------

CAD/CAE-Data

CAD data

2D/3D Models 826-158	URL	Download
----------------------	-----	----------

CAE data

EPLAN Data Portal 826-158	URL	Download
---------------------------	-----	----------

ZUKEN Portal 826-158	URL	Download
----------------------	-----	----------

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Environmental Product Compliance

Compliance Search

Environmental Product Compliance 826-158

URL

Download

End plate; snap-fit type; 1.5 mm thick; gray

Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.