
# 2288218-3 - ACTIVE

TE Internal #: 2288218-3 CFP, CFP2 & CFP4, Accessory, Front End Air Flow, Heat Sink Height 9.55 mm [.38 in], Signal, -55 – 85 °C View on TE.com >



Connectors > Pluggable IO Connectors & Cages > CFP, CFP2 & CFP4



Pluggable I/O Product Type: Accessory Thermal Accessory Type Included: Heat Sink Heat Sink Style: Front End Air Flow Heat Sink Height: 9.55 mm [.38 in] Sealable: No

### Features

#### **Product Type Features**

Form Factor	CFP2
Pluggable I/O Accessory Type	Heat Sink
Pluggable I/O Product Type	Accessory
Thermal Accessory Type Included	Heat Sink
Sealable	No
Configuration Features	
Number of Fins	11
Body Features	
Heat Sink Finish	Anodized
Primary Product Plating Material	Nickel
Primary Product Material	Aluminum Alloy
Heat Sink Style	Front End Air Flow
Heat Sink Height	9.55 mm[.38 in]
Dimensions	
PCB Thickness (Recommended)	3 mm

#### 2288218-3

CFP, CFP2 & CFP4, Accessory, Front End Air Flow, Heat Sink Height 9.55 mm [.38 in], Signal, -55 – 85  $^{\circ}\mathrm{C}$ 



Product Width	39.8 mm
Product Length	77 mm
Usage Conditions	
Operating Temperature Range	-55 – 85 °C
Operation/Application	
Heat Sink Compatible	Yes
For Use With Pluggable I/O Products	CFP Assembly
Circuit Application	Signal
Packaging Features	
Packaging Method	Tray
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235)

Not Yet Reviewed

Not Yet Reviewed for halogen content

Solder Process Capability

Halogen Content

Not reviewed for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked.Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

### **Compatible Parts**


#### 2288218-3

CFP, CFP2 & CFP4, Accessory, Front End Air Flow, Heat Sink Height 9.55 mm [.38 in], Signal, -55 – 85 °C





## Customers Also Bought



### Documents

Product Drawings

#### HEAT SINK, FRONT TO BACK AIREFLOW, CFP2

English

#### **CAD** Files

3D PDF

3D

Customer View Model ENG\_CVM\_CVM\_2288218-3\_1.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_2288218-3\_1.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_2288218-3\_1.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use

### 2288218-3

CFP, CFP2 & CFP4, Accessory, Front End Air Flow, Heat Sink Height 9.55 mm [.38 in], Signal, -55 – 85 °C



Product Specifications Application Specification

English