

## Cable gland - HC-D-G-M20-PLRBK - 1411350

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



EVO plastic cable gland with bayonet locking, for housing series D, size M20, cable diameter: 7 - 13 mm.



### Key Commercial Data

Packing unit	1 pc
Weight per Piece (excluding packing)	40.0 g
Custom tariff number	39269097
Country of origin	Poland

### Technical data

#### Dimensions

Wrench size, union nut	22 mm
External cable diameter	7 mm ... 13 mm

#### Ambient conditions

Degree of protection	IP66 (DIN IEC 60529)
Ambient temperature (operation)	-40 °C ... 100 °C

#### General

Type of the screw connection	M20
No. of conductors	1
Material	PA
Cable gland material	Polyamide
Material, pressure screw	PBT
Seal material	NBR
Cable seal material	NBR
Shielded	No
Thread type on connection side	Bayonet D plastic

# Cable gland - HC-D-G-M20-PLRBK - 1411350

## Technical data

### General

Tightening torque, union nut	5.00 Nm
Flammability rating according to UL 94	V0 / V2

### Standards and Regulations

Flammability rating according to UL 94	V0 / V2
--	---------

## Classifications

### eCl@ss

eCl@ss 5.1	27143424
eCl@ss 6.0	27143424
eCl@ss 8.0	27149109

### ETIM

ETIM 4.0	EC000441
ETIM 5.0	EC000441

## Approvals

### Approvals

---

#### Approvals

EAC

---

#### Ex Approvals

---

Approvals submitted

---


### Approval details

EAC
-----

## Drawings

## Cable gland - HC-D-G-M20-PLRBK - 1411350

Dimensional drawing



Dimensional drawing