
Jumper; from 1 to 9; insulated; light gray

www.wago.com/870-439





Data Electrical data

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.

www.wago.com/870-439



Ratings per IEC/EN

Rated current (Ex e II)

Rated current	18 A
Fullaformentian	
Ex information	

13.5 A

Physical data

Width	44 mm / 1.732 inches
Height	2.5 mm / 0.098 inches
Jumper assignment	1-9

Material Data

Note (material data)

Information on material specifications can be found here

Color	light gray
Fire load	0.047 MJ
Weight	4.1 g

Commercial data

eCl@ss 10.0	27-14-11-40
eCl@ss 9.0	27-14-11-40
ETIM 8.0	EC000489
ETIM 7.0	EC000489
PU (SPU)	25 (25) pcs
Packaging type	box
Country of origin	DE
GTIN	4066966270655
Customs tariff number	85366990990

Environmental Product Compliance

RoHS Compliance Status	Compliant,No Exemption
·	• •

Downloads

Documentation

Bid Text

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.

www.wago.com/870-439



870-439	2019 年2月19日	xml	Download
X81 - Datei	20.00 273.00 H	2.6 kB	2011111000
870-439 doc - Datei	2018 年1月4日	doc 24.1 kB	Download
Additional Information			
		pdf 2.2 MB	Download
OAD/OAE D. I.			
CAD/CAE-Data			
CAD data			
2D/3D Models 870-439		URL	Download
CAE data			
WSCAD Universe 870-439		URL	Download
ZUKEN Portal 870-439		URL	Download
EPLAN Data Portal 870-439		URL	Download
Environmental Product Compliance			
Compliance Search			
Environmental Product Compliance 870-439		URL	Download
Jumper; from 1 to 9; insulated; light gray			

Installation Notes

Commoning

 $\label{thm:condition} \textbf{Subject to changes. Please also observe the further product documentation!}$

WAGO GmbH & Co. KG Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.

www.wago.com/870-439



Commoning with push-in type jumper bars:

Two parallel jumper slots are accommodated in one terminal block.

Push jumper bars down firmly until fully inserted. When using multipole bars, push alternately on the right and then left side until installed.

Push-in type jumper bars 1-3-5-7 or 1-4-7

upon request

 $\label{thm:condition} \textbf{Subject to changes. Please also observe the further product documentation!}$

WAGO GmbH & Co. KG Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.