## 9 INCHES LENGTH



Connector A 132117 SMA Jack Straight Brass Gold + Heatshrink 50 Ohm RG-316 Continuity/Hi-Pot Connector B 034-5008 HD-BNC Plug Straight Brass Nickel + Heatshrink

## Assembly & Label Notes

Assembly label to be placed ~ 2" from end of connector A and/ or heat shrink Assembly shall be built with SN96.5 LEAD FREE solder. See Routing Notes for additional assembly & testing instructions.

		Connector A	A Cable		Cable		Connector B	
Par	rt #:	132117		Part #:	RG-316	Part #:	034-5008	
Des	scription:	SMA JK RG174 R	G316 LMR100 50O	Description:	RG-316 - ST 0.102	Description:	HD-BNC PLUG RG316 500	
Тур	pe:	SMA		Dielectric:	ST	Туре:	HD-BNC	
Gei	ender:	Jack		Shielding:	Braid	Gender:	Plug	
Bo	ody Type:	Straight		Diameter:	0.102	Body Type:	Straight	
Co	ontact Type:	Solder		Impedance:	50 Ohm	Contact Type:	Solder	
Pol	larity:	Standard		Sheathing:	None	Polarity:	Standard	
Imp	pedance:	50 Ohm		Testing:	Continuity Hi-Pot	Impedance:	50 Ohm	
Мо	ounting:	Cable		Length:	9 Inches	Mounting:	Cable	
Bo	ody Material:	Brass				Body Material:	Brass	
Bo	ody Finish:	Gold				Body Finish:	Nickel	
IP F	Rating:	None				IP Rating:	None	
Co	ontact Material:	Beryllium Copper				Contact Material:	Phosphor Bronze	
Co	ontact Finish:	Gold				Contact Finish:	Gold	
Ma	ax. Freq.:	12.4 GHz				Max. Freq.:	6 GHz	
Bo	ooting:	SMA Jack Straigh	t			Booting:	HD-BNC Plug Straig	ht
						Clocking:	0°	
Amphenol FOR ANY PURPOSE INC. IT MAY NOT E			THIS DRAWING MAY CONTAIN PROPRIETARY INFORMATION A FOR ANY PURPOSE DETRIMEN INC. IT MAY NOT BE REPRODU- IN ANY FORM WITHOUT THE W	AND MUST NOT BE U TAL TO CUSTOM CAE CED OR TRANSCRIBE	BLE ED	Title: SMA-ST-JK/HDBNC-ST-PL G316 9I		UNLESS SPECIFIED TOLERANCE: 0-18 inches +/- 1/2" over 18" +/- 2% ASSEMBLY:
<b>CONTROLLED DOCUMENT - DO NOT COPY</b>			CUSTOM CABLE INC. ACCEPTANCE OF THIS DRAWING ESTABLISHES AND AGREEMENT OF THE FOREGOING.		NG Part No:			CENTER LABEL IF LENGTH IS LESS THAN 12 INCHES



## **RoHS 2015/863 Compliance Statement**

According to the manufacture of all the component parts contained in this assembly, this product has been determined to be RoHS Compliant with RoHS Directive 2011/65/EU and as amended by Directive 2015/863, and without material exceptions (RoHS3 Complaint).

For the individual component RoHS certificates used in this assembly, please contact Amphenol Custom Cable.

The RoHS Compliance of any product so designated is based upon evidence from the producer (manufacturers') that the component parts comply with the RoHS Directive. Amphenol Custom Cable has taken all reasonable steps to confirm that the OEM (Manufacturer) of the components used in this assembly have provided evidence regarding the absence of the restricted substances to support the manufacturer's claim of compliance.

To the best of our knowledge and with due diligence, we certify that the product listed herein complies with the RoHS requirements.

Date: 10/1/2023

Part Number: Q-2V00V0005009I

Manufacturer: Amphenol Custom Cable

Description: SMA-ST-JK/HDBNC-ST-PL G316 9I

This information is valid as of the date indicated for the item (part number) listed.

**Director of Quality Assurance** 

Janice Frank