Lockout cap; 5-pole; for cutouts; Plastic; black

www.wago.com/770-645



Color:

 $\label{thm:condition} \textbf{Subject to changes. Please also observe the further product documentation!}$ 

WAGO GmbH & Co. KG Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.

www.wago.com/770-645



### Item description

### Cover WINSTA® MIDI 5-pole

The cover from the WINSTA® MIDI product line is the sophisticated solution for reliable installation. With WAGO, you can enjoy the advantages of a large selection of expansions for the WINSTA® product line. The WINSTA® MIDI Pluggable Connection System with Push-in CAGE CLAMP® spring pressure connection technology facilitates safe electrification. Due to the included test slot, it is possible to check connections even when they are plugged in. That saves time and reduces installation labor and costs.

### Lower costs through fast commissioning and elimination of service expenses – solutions from WINSTA® MIDI

WINSTA® is the pluggable connection system that is perfectly tailored to the strict requirements of electrical installation. It ensures error-free installation of cables and components, quickly and reliably. Now you can also cut installation expenses without compromising safety and quality: The WINSTA® MIDI accessory reduces the need for servicing and prevents unnecessary downtime.

- pre-assembled versions
- quick replacement of defective units during ongoing operation

### Data

#### Connection data

### Connection 1

Pole number 5

#### **Mechanical Data**

Mounting type	Snap-in flange
Suitable	for cutout

#### **Material Data**

Note (material data)

Information on material specifications can be found here

Color black

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.

www.wago.com/770-645



Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.09 MJ
Weight	2.3 g

# **Environmental requirements**

Processing temperature	-5 +40 °C
Continuous operating temperature	-35 +85 °C
Note on continuous operating temperature	Insulating parts for temperatures ≤ 105 °C

## Commercial data

Product Group	20 (Winsta)
eCl@ss 10.0	27-44-06-92
eCl@ss 9.0	27-44-06-92
ETIM 8.0	EC002863
ETIM 7.0	EC002863
PU (SPU)	100 pcs
Packaging type	box
Country of origin	DE
GTIN	4017332755467
Customs tariff number	39269097900

# **Environmental Product Compliance**

RoHS Compliance Status	Compliant,No Exemption
------------------------	------------------------

# Downloads

### Documentation

### **Bid Text**

770-645 X81 - Datei	2019 年2月19日	xml 2.6 kB	Download
770-645 doc - Datei	2015 年1月13日	doc 23.0 kB	Download

 $\label{thm:condition} \textbf{Subject to changes. Please also observe the further product documentation!}$ 

WAGO GmbH & Co. KG

Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.

www.wago.com/770-645



### CAD/CAE-Data

**CAD** data

2D/3D Models 770-645	URL	Download
CAE data		
ZUKEN Portal 770-645	URL	Download
WSCAD Universe 770-645	URL	Download

# **Environmental Product Compliance**

Compliance Search

Environmental Product Compliance 770-645 URL Download Lockout cap; 5-pole; for cutouts; Plastic; black

### **Installation Notes**

# **Product family**

WINSTA® MIDI

Show all products from the family

 $\label{thm:condition} \textbf{Subject to changes. Please also observe the further product documentation!}$ 

WAGO GmbH & Co. KG Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.