





PRODUCT NUMBER SEE SHEET 2




Copyright FCI.

spec ref		dr	Helen Zhang	2013/06/20	projection	MM	size	A3	scale	3:2	
tolerance std		eng	Xie Bob	2014/01/10			ecn no		-		
ASME Y14.5		chr	-	-			rel level		Released		
TOLERANCES UNLESS OTHERWISE SPECIFIED		appr	Pei-Ming Zheng	2014/01/10	product family		PowerBlade+		-		
surface		linear	0.X	±0.50		IHP + 24S + IHP		dwg no	10106269-2006202		rev
			0.XX	±0.25		VT PRESSFIT RECEPTACLE			A		
			0.XXX	±0.10		-					
ASME Y14.5		angular	0°	±2°	www.fci.com	cat. no.	Product - Customer Drw		sheet 1 of 3		

PRODUCT NO. 10106269-2006202LF	ROWS DCBA	P		SIGNAL						P		
		E1	P2	6	5	4	3	2	1	P1	E2	
		HA	HG	F	F	F	F	F	F	F	HG	HA

CODE	DESCRIPTION
F	STD SIGNAL CONTACT
HA	METAL HOLD DOWN
HG	STD HIGH POWER CONTACT (3.43)



Copyright FCI.

dr	Helen Zhang	2013/06/20	projection	MM	size	A3	scale	3:2	
eng	Xie Bob	2014/01/10			ecn no				
chr	-	-			-				
appr	Pei-Ming Zheng	2014/01/10	product family	PowerBlade+	rel level				
					Released				
		IHP + 24S + IHP			dwg no 10106269-2006202		rev A		
www.fci.com		cat. no.		Product - Customer Drw			sheet 2 of 3		

A

A

NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE P/N CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
-HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.
-SIGNAL CONTACT - COPPER ALLOY.
-POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION REFER TO FCI 10123565
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENIONS WERE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15 ± 0.025MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02 ± 0.07MM HOLE.
- 8) PRODUCT SPECIFICATION REFER TO FCI GS-12-658.
APPLICATION SPECIFICATION REFER TO FCI GS-20-141.
PRODUCT PACKAGED IN TRAYS, REFER TO FCI GS-14-1502.
- 9) THE VOID CORING IN BETWEEN POWER MODULES, SIGNAL
MODULES AND END MODULES ARE OPTIONAL AND THE SHAPE
MAY BE DIFFERENT FOR OPTIMIZE THE MOLDING PROCESS. THE
VOID CORING WILL NOT EFFECT TO PRODUCT FUNCTION.

B

B

C

C

D

D



Copyright FCI.

dr	Helen Zhang	2013/06/20	projection 	MM 	size	A3	scale	1:1
eng	Xie Bob	2014/01/10			ecn no	-		
chr	-	-	product family	PowerBlade+	rel level	Released		
appr	Pei-Ming Zheng	2014/01/10			IHP + 24S + IHP VT PRESSFIT RECEPTACLE	dwg no 10106269-2006202	rev A	
www.fci.com		cat. no.	Product - Customer Drw		sheet 3 of 3			