
2227675-1 - ACTIVE

CFP

TE Internal #: 2227675-1 CFP, CFP2 & CFP4, Accessory, 1 x 1, Data Rate (Max) 100 Gb/s, Double-Sided (Belly-to-Belly) Mount, CFP

View on TE.com >

Connectors > Pluggable IO Connectors & Cages > CFP, CFP2 & CFP4



Pluggable I/O Product Type: Accessory

Port Matrix Configuration: 1x1

Data Rate (Max): 100 Gb/s

PCB Mounting Style: Double-Sided (Belly-to-Belly)

Features

Product Type Features



Form Factor	CFP
Pluggable I/O Accessory Type	Hardware Kit
Cage Туре	Single
Pluggable I/O Product Type	Accessory
Configuration Features	
Port Matrix Configuration	1 x 1
Electrical Characteristics	
Data Rate (Max)	100 Gb/s
Termination Features	
Termination Method to Printed Circuit Board	Through Hole - Screw
Mechanical Attachment	
PCB Mounting Style	Double-Sided (Belly-to-Belly)
Dimensions	
PCB Thickness (Recommended)	2 mm[.079 in]

2227675-1

CFP, CFP2 & CFP4, Accessory, 1 x 1, Data Rate (Max) 100 Gb/s, Double-Sided (Bellyto-Belly) Mount, CFP



Operation/Application

Heat Sink Compatible	No
For Use With Pluggable I/O Products	CFP Assembly
Packaging Features	
Packaging Method	Package
Other	
Pluggable I/O Connectors Comment	Kit includes 2 guide rails, 1 connector cover assy., 1 backer plate assy., 1 external bracket assy.
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	

Does not contain REACH SVHC

Halogen Content

Solder Process Capability

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts

2227675-1

CFP, CFP2 & CFP4, Accessory, 1 x 1, Data Rate (Max) 100 Gb/s, Double-Sided (Bellyto-Belly) Mount, CFP




= TE
TE Part # 2057630-1 CFP Receptacle Conn Assy

Also in the Series | CFP



CFP, CFP2 & CFP4(21)

Customers Also Bought





2227675-1

CFP, CFP2 & CFP4, Accessory, 1 x 1, Data Rate (Max) 100 Gb/s, Double-Sided (Bellyto-Belly) Mount, CFP



Documents

Product Drawings CFP HW Kit, No HS, No Clips

English

CAD Files

3D PDF

3D

Customer View Model ENG_CVM_CVM_2227675-1_1.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2227675-1_1.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2227675-1_1.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications Application Specification

English

Instruction Sheets Instruction Sheet (U.S.)

English