

https://www.phoenixcontact.com/us/products/1049413



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

3-phase loop bridge for 5 CONTACTRON modules, with Push-in connection and 22.5 mm housing width, connecting cable: 1 m  $\,$ 



### Commercial data

Item number	1049413
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	C470
Product key	CK74Z1
GTIN	4055626661322
Weight per piece (including packing)	185.3 g
Weight per piece (excluding packing)	160.1 g
Customs tariff number	85444290
Country of origin	DE

1049413

https://www.phoenixcontact.com/us/products/1049413



### Technical data

### Product properties


Product type	Loop bridge
Product family	CONTACTRON

1049413

https://www.phoenixcontact.com/us/products/1049413



## Drawings





https://www.phoenixcontact.com/us/products/1049413



### **Approvals**

To download certificates, visit the product detail page: https://www.phoenixcontact.com/us/products/1049413



**UL Listed** 

Approval ID: FILE E 172140



cUL Listed

Approval ID: FILE E 172140



cUL Listed

Approval ID: FILE E 228652



**UL Listed** 

Approval ID: FILE E 228652



https://www.phoenixcontact.com/us/products/1049413



### Classifications

### **ECLASS**

	ECLASS-11.0	27371392		
	ECLASS-13.0	27371392		
	ECLASS-12.0	27371392		
ETIM				
	ETIM 8.0	EC002498		

### **UNSPSC**

UNSPSC 21.0	39121100



https://www.phoenixcontact.com/us/products/1049413



## Environmental product compliance

China RoHS	Environmentally Friendly Use Period = 50 years
	For information on hazardous substances, refer to the manufacturer's declaration available under "Downloads"



https://www.phoenixcontact.com/us/products/1049413



#### Accessories

### **BRIDGE COVER - Covering hood**

2906240

https://www.phoenixcontact.com/us/products/2906240



The BRIDGE COVER covering hood is used to cover unused plugs on the CONTACTRON bridge that may subsequently be used to extend the system. The hood can be used with the screw and Push-in version of the bridge.

Phoenix Contact 2023 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com