


4805 (3/11)



		2				1			
	LOC	DIST			REVISIONS				
	АD	00	Р	LTR	DESCRIPTION		DATE	DWN	APVD
•				С	REVISED PER ECO-13-002771		23FEB2013	КН	RP
				D	REVISED PER ECO-19-012987		23AUG2019	ΑP	SY

MATERIAL:

CONTACT AND SHIELD - PHOS BRONZE HOUSING AND CHICKLET - LCP, UL 94V-0, COLOR - BLACK

2 FINISH:

CONTACT AREA FINISH CONFORMS TO THE REQUIREMENTS OF TE PRODUCT SPECIFICATION 108-2303; BASED ON TELCORDIA GR-1217-CORE FOR SYSTEM QUALITY

LEVEL III APPLICATIONS IN CONTROLLED

ENVIRONMENTS (CENTRAL OFFICE). COMPLIANT PIN AREA- 0.5µm MIN MATTE TIN OVER 1.27µm MIN NICKEL. SHIELD I.27µm MIN NICKEL.

3 CONNECTOR MARKED ON EITHER SIDE OF HOUSING WITH PART NUMBER, DATE CODE AND STANDARD IN APPROXIMATE AREA SHOWN.

4 DIMENSION APPLIES TO CENTERLINE OF THRU HOLE.

25 datums and basic dimensions established by customer.

6. CONTACT AREA LUBRICATED WITH BELLCORE APPROVED LUBRICANT. TECHNICAL REFERENCE: GR-1217-CORE, ISSUE I, NOVEMBER 1995.

T REFERENCE APPLICATION SPEC 114-13202 FOR RECOMMENDED PLATED THRU HOLE DIAMETER AND PLATING THICKNESSES.

🖉 THE GROUNDS IN EACH COLUMN ARE COMMONED.

9 SHOWN LOGO OR OTHER TE OWNED LOGOS IN APPROXIAMATE AREA

|934275-

PART NUMBER

1 M A Y 2 O O THIS DRAWING IS A CONTROLLED DOCUMENT . MAGARO **STE** TE Connectivity IIMAY2007 .DAVIS TOLERANCES UNLESS OTHERWISE SPECIFIED. 27AUG200 RECEPTACLE ASSEMBLY, 4 PAIR, 14 COLUMN <u>R.PATTERSON</u> roduct spec PPLICATION SPEC ZE CAGE CODE DRAWING NO RESTRICTED 100779C-1934275 2SCALE 6: SHEET OF REV STOMER DRAWING