








P	LTR	DESCRIPTION	DATE	DWN	APVD
	B	REVISED	05JUNE2013	IC.K	JH.K
	C	REVISED	10JUNE2013	IC.K	JH.K
	C1	REVISED	25FEB2014	IC.K	JH.K
	C2	REVISED	06FEB2015	IC.K	JH.K



SECTION B-B  
STROKE CONDITION(REFERENCE)



RECOMMENDED PCB LAYOUT  
(REFERENCE)



- 1 MATERIAL: TICU(COPPER ALLOY), THK.= 0.1
- 2 FINISH: Ni UNDER PLATING ALL OVER 0.8~3.0um  
CONTACT PLATING: Au 0.1~0.4um  
SOLDER PLATING: Au 0.05~0.35um
- 3 CUTTING BURR: 0.05mm MAX.
- 4 F/G SHOULD BE SEPARATED BASED ON THE CUSTOMER'S PART NUMBER AS BELOW TABLE

NO	PART NUMBER	CUSTOMER PART NUMBER	PRODUCT SPEC
1	2108609-5	MBV62562101	108-61190
2	2108609-6	EAG63651901	108-61190
3	2-2108609-6	-	108-61255

THIS DRAWING IS A CONTROLLED DOCUMENT.


DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED: ± 0.15
	0-PLC ±
	1-PLC ±0.5
	2-PLC ±0.13
	3-PLC ±0.013
	4-PLC ±0.0001
	ANGLES ±
MATERIAL	FINISH
1	2

DWN	IC KANG	09APR2013
CHK	JH KIM	09APR2013
APVD	JH KIM	09APR2013
PRODUCT SPEC	SEE TABLE 4	
APPLICATION SPEC	-	
WEIGHT	-	
CUSTOMER DRAWING		

TE Connectivity		NAME	
		SPRING FINGER 3.0H	
SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	C=2108609	-
SCALE 20:1		SHEET 1 OF 3	REV C2

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-			SEE SHEET 1			



# ① 4 <2108609-5 : FOR MBV62562101>





①

TE  
 MBV62562101-YYYYMMDD-\*\*\*\*\*-HK000120  
 SPEC: 3.0H SPRING FINGER WITH EMBOSS  
 Company Name: TE CONNECTIVITY  
 Tyco Part Number : 2108609-5  
 RoHS H/F

- 1. LG PART NO.
- 2. FINAL INSPECTION(YYYMMDD)
- 3. VENDOR PRODUCTION LOT NO.
- 4. VENDOR CODE





WEEDING THE COVER TAPE, AROUND THE OUTER PERIPHERY IN A TURN



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	JH GONG	08FEB2013	 TE Connectivity	NAME		SPRING FINGER 3.0H		
DIMENSIONS: mm		CHK	JH KIM	08FEB2013		PRODUCT SPEC		SIZE	CAGE CODE	DRAWING NO
TOLERANCES UNLESS OTHERWISE SPECIFIED: ±0.15		APVD	JH KIM	08FEB2013		APPLICATION SPEC		3	A300779	©=2108609
0-PLC ± 1-PLC ±0.5 2-PLC ±0.13 3-PLC ±0.013 4-PLC ±0.0001 ANGLES ± FINISH -		PRODUCT SPEC		WEIGHT		RESTRICTED TO		-		
MATERIAL -		CUSTOMER DRAWING		SCALE 20:1		SHEET 2 OF 3		REV C2		

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1			

# ① 4 <2108609-6 : FOR EAG63651901>



①

**TE**



EAG63651901-YYYYMMDD-\*\*\*\*\*-HK000120

SPEC: 3.0H SPRING FINGER WITH EMBOSS



Company Name: TE CONNECTIVITY  
Tyco Part Number : 2108609-5

RoHS
H/F

- 1. LG PART NO.                      2. FINAL INSPECTION(YYYMMDD)
- 3. VENDOR PRODUCTION LOT NO.    4. VENDOR CODE



WEEDING THE COVER TAPE,  
AROUND THE OUTER  
PERIPHERY IN  
A TURN



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN JH GONG 08FEB2013		<b>TE Connectivity</b>			
DIMENSIONS: mm 		CHK JH KIM 08FEB2013				NAME SPRING FINGER 3.0H	
		APVD JH KIM 08FEB2013					
TOLERANCES UNLESS OTHERWISE SPECIFIED: ± 0.15 0-PLC ± 1-PLC ±0.5 2-PLC ±0.13 3-PLC ±0.013 4-PLC ±0.0001 ANGLES ± FINISH -		PRODUCT SPEC 108-XXXXX				SIZE CAGE CODE DRAWING NO RESTRICTED TO A3 00779 C=2108609 -	
		MATERIAL -		WEIGHT -		SCALE 20:1 SHEET 3 OF 3 REV C2	
		CUSTOMER DRAWING					