




PRODUCT NUMBER
74775-XYX
74775-XYXLF



This document is the property of and embodies  
 CONFIDENTIAL and PROPRIETARY information of FCI.  
 No part of the information shown on this  
 document may be used in any way or disclosed  
 to others without the written consent of FCI.  
 Copyright FCI.

REV E - 2008-04-18

mat'l code				SEE NOTES		tolerances unless otherwise specified		CUSTOMER		FCJ www.fciconnect.com	
ltr	ecm no.	dr	date	linear	0.X ±0.3		COPY		projection	title	
J	V06-0544	DCH	2006-06-09		0.XX ±0.13		MIM			METRAL SIGNAL HEADER	
K	DG07-0388	Cenh	09/05/07		.XXX ±.051		2:1			5 MOD, 4 ROW STB	
				angles	0° ±2°		scale		product family		
E	V20131	TAB	01/21/02	dr	T.BRUNGARD	11/19/99	2:1		METRAL		
F	V21670	TAB	10/18/02	enr	M.STRAWSER	11/19/99	A		code		
G	V03-1059	DAI	09/24/03	chr	M.STRAWSER	11/19/99	A		213		
H	V05-1126	DAI	01/02/06	appd	M.STRAWSER	02/29/00	A		sheet		
sheet index		revision sheet	K 1	K 2	K 3					1 of 3	

cage code 22526

Pro/E




This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCI. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCI. Copyright FCI.

REV E - 2008-04-18

A

B



REQUIRED PC BOARD LAYOUT  
COMPONENT SIDE  
SEE PRINT 58351 FOR  
ADDITIONAL PCB INFORMATION

mat'l code		--		tolerances unless otherwise specified		CUSTOMER		 www.fciconnect.com	
ltr	ecn no.	dr	date	linear	0.X ±0.3	COPY		title	
K					0.XX ±0.13	projection		METRAL SIGNAL HEADER	
				angles	.XXX ±.051			5 MOD, 4 ROW STB	
				dr	0° ±2°			product family	
				enr	T.BRUNGARD 11/19/99	scale		METRAL	
				chr	M.STRAWSER 11/19/99	1:1		code	
				appd	M.STRAWSER 02/29/00	A		213	
sheet index		revision sheet						size	
								dwg no	
								74775	
								sheet	
								2	
								cage code	
								22526	

A

B

Pro/E

cage code 22526

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2					MOD. 3					MOD. 4					MOD. 5								
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
74775-X01 SEE NOTE 9 LEAD FREE OPTION	D	5	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	5
	C	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6
	B	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6
	A	7	7	7	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	7	7

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2					MOD. 3					MOD. 4					MOD. 5								
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
74775-X02 SEE NOTE 9 LEAD FREE OPTION	D	13	3	3	3	3	3	3	3	3	3	3	3	3	13	1	3	3	3	3	3	3	3	3	13	3	3	13	3	3
	C	13	13	13	3	3	3	13	3	3	3	13	3	3	3	3	3	13	3	3	3	3	13	3	3	3	13	3	3	
	B	13	13	13	3	13	3	3	13	3	3	3	13	3	3	3	13	3	3	3	3	13	3	3	3	13	3	3	3	3
	A	3	13	3	13	3	3	3	13	3	3	3	13	3	3	3	13	3	3	3	3	13	3	3	3	13	3	3	3	13

NOTES:

- FOR DIM A AND B SEE SHEET 2 AND UP.
- BODY MATERIAL: LIQUID CRYSTAL POLYMER 30 % GLASS. FLAME RETARDANT ACC. UL 94-V0.
- PIN MATERIAL: PHOSPHOR BRONZE.
- PLATING ON PRESS FIT TAIL:  
74775-XYX IS SnPb.  
74775-XYXLF IS Sn (LEAD FREE)  
PERFORMANCE LEVEL SHOWN IN TABLE BELOW.
- PRODUCT MARKING:  
PART NUMBER DESIGNATION & BATCH I.D.
- ALL PRODUCTS WITH PART NUMBERS SHOWN IN SUBSEQUENT TABLES WILL BE PACKAGED IN TUBES. IF TRAY PACKAGING IS REQUIRED, A SUFFIX "P" WILL BE ADDED TO THE END OF THE PART NUMBER. EXAMPLE: XXXXX-XXXP AND XXXXX-XXXPLF
- PRODUCT SPECIFICATION GS-12-180  
APPLICATION SPECIFICATION BUS-20-073
- THE PRODUCTS WHERE THE PART NUMBERS END IN "LF" MEET THE EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.

ALL PRODUCTS EXCEPT THOSE WITH PART NUMBERS CONTAINING (DRAWING NO.) -N1--- OR (DRAWING NO.) -N5 WILL WITHSTAND EXPOSURE TO 260° C FOR 60 SECONDS IN A CONVECTION, INFRA-RED OR VAPOR PHASE REFLOW OVEN.

PART NUMBERS (DRAWING NO.) -N1--- OR (DRAWING NO.) -N5 WILL NOT WITHSTAND REFLOW AND Au CONTACT SURFACE OF THE CONTACTS SHALL BE EXPOSED TO A MAXIMUM OF 140° C FOR NO LONGER THAN 15 SECONDS IN A WAVE SOLDER APPLICATION. FOR LEAD FREE PART NUMBERS, ADD "LF" SUFFIX. EXAMPLE: 74775-X01LF OR 74775-X01PLF

PLATING IN CONTACT AREA		
DASH NUMBER	PERFORMANCE LEVEL	NOTES
-N1YY	TELCORDIA CO (NXT)	
-N5YY	TELCORDIA UE (NXT)	
-1YY	TELCORDIA CO	
-2YY	TELECOM CLASS	
-3YY	IEC CLASS I	
-5YY	TELCORDIA UE	
-9YY	TELCORDIA CO	
-N1YYLF	TELCORDIA CO (NXT) IEC CLASS I	SEE NOTE 8
-N5YYLF	TELCORDIA UE (NXT) IEC CLASS I	SEE NOTE 8
-1YYLF	TELCORDIA CO IEC CLASS I	SEE NOTE 8
-2YYLF	TELECOM CLASS	SEE NOTE 8
-5YYLF	TELCORDIA UE	SEE NOTE 8



This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCI. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCI. Copyright FCI.

mat'l code		--		tolerances unless otherwise specified		CUSTOMER		FCI		www.fciconnect.com	
ltr	ecr no.	dr	date	linear	0.X ±0.3	projection	projection symbol	title			
K				angles	0.XX ±0.13			METRAL SIGNAL HEADER			
				dr	.XXX ±.051			5 MOD, 4 ROW STB			
				enr	0° ±2°			product family		METRAL	
				chr	T.BRUNGARD 11/19/99			size	dwg no		code
				appd	M.STRAWSER 11/19/99	scale	1:1	A	74775		213
					M.STRAWSER 02/29/00						sheet
sheet index	revision sheet										3