

# Product data sheet

## Characteristics

# GV2G445

Linergy FT, Comb busbar, 63A, 4 tap-offs, 45mm pitch



Product availability: Stock - Normally stocked in distribution facility

Price\*: 34.20 USD



### Main

Range	Linergy
Product name	FT
Device short name	GV2G
Product or Component Type	Comb busbar
Accessory / separate part category	Connection accessory
Poles description	3P
Range compatibility	TeSys Deca TeSys GV2 TeSys K TeSys U
Number of tap-offs	4
[Ith] conventional free air thermal current	63 A
Connection pitch	1.77 In (45 mm)

### Complementary

Mounting Location	On terminal
[Ui] Rated Insulation Voltage	690 V
Length	7.05 In (179 mm)
Net Weight	0.17 Lb(US) (0.077 kg)

### Ordering and shipping details

Category	22367-MANUAL STR PROTECTOR - GV2
Discount Schedule	I11
GTIN	3389110555882
Returnability	Yes
Country of origin	RO

## Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	0.39 In (1.000 cm)
Package 1 Width	1.38 In (3.500 cm)
Package 1 Length	7.09 In (18.000 cm)
Package 1 Weight	2.75 Oz (78.000 g)
Unit Type of Package 2	S01
Number of Units in Package 2	60
Package 2 Height	5.91 In (15.000 cm)
Package 2 Width	5.91 In (15.000 cm)
Package 2 Length	15.75 In (40.000 cm)
Package 2 Weight	10.87 Lb(US) (4.930 kg)
Unit Type of Package 3	P06
Number of Units in Package 3	1920
Package 3 Height	29.53 In (75.000 cm)
Package 3 Width	23.62 In (60.000 cm)
Package 3 Length	31.50 In (80.000 cm)
Package 3 Weight	364.78 Lb(US) (165.460 kg)


## Offer Sustainability

Sustainable offer status	Green Premium product
REACH Regulation	<a href="#">REACH Declaration</a>
REACH free of SVHC	Yes
EU RoHS Directive	Compliant <a href="#">EU RoHS Declaration</a>
Toxic heavy metal free	Yes
Mercury free	Yes
China RoHS Regulation	<a href="#">China RoHS Declaration</a>
RoHS exemption information	<a href="#">Yes</a>
Environmental Disclosure	<a href="#">Product Environmental Profile</a>
Circularity Profile	<a href="#">End Of Life Information</a>

## Contractual warranty

Warranty	18 months
----------	-----------

Sets of Busbars GV2G445, GV2G454, GV2G472, with Terminal Block GV2G05



	l	p
GV2G445 (4 x 45 mm)	179	45
GV2G454 (4 x 54 mm)	206	54
GV2G472 (4 x 72 mm)	260	72

Number of tap-offs	a			
	5	6	7	8
GV2G445	224	269	314	359
GV2G454	260	314	368	422
GV2G472	332	404	476	548

Product Life Status : **Commercialised**