

Specification Sheet

Part Number: RO514



Compact to easily fit in a pocket or on a tool belt.

Dispenser can be reloaded over and over, making it cost-effective to use.

Dispenser edge allows easy removal of label liner.

Dispenser protects labels from dirt and moisture before use, extending the life and quality of the labels.

Rite-On Self-Laminating Label Dispenser, 0.75" x .38" x 1.25", VL, White, 200/roll

Article Number 590-05140

Type RO514

Color White (WH)

Quantity Per EA

Product Description HellermannTyton's Rite-On markers are self-laminating wire and cable labels made of flexible vinyl film. A built-in clear tail seals the label data under clear vinyl, maintaining the quality of the labels. Rite-On markers are packaged in a reusable dispenser made from high-impact plastic which is resistant to oils and grease.

Short Description Rite-On Self-Laminating Label Dispenser, 0.75" x .38" x 1.25", VL, White, 200/roll

Global Part Name RO514-100-WH

Fixation Method	Pasting / Stick
Variant	Roller form
Width W (Imperial)	0.75
Width W (Metric)	19.05
Bundle Diameter Min (Imperial)	0.15
Bundle Diameter Min (Metric)	3.89
Bundle Diameter Max (Imperial)	0.263
Bundle Diameter Max (Metric)	6.68
Height H (Imperial)	0.375
Height H (Metric)	9.5
Outside Diameter Max (Imperial)	0.263
Outside Diameter Min (Metric)	3.89
Outside Diameter Min (Imperial)	0.153
Outside Diameter Max (Metric)	6.68
Material	Type 100, Vinyl, white, self-laminating (100)

Material Shortcut	100
Adhesive	Acrylic
Halogen Free	No
UV Resistant (Yes/No)	No
Adhesive Operating Temperature	-40°F to +176°F (-40°C to +80°C)
Operating Temperature	-40°F to +176°F (-40°C to +80°C)
Reach Compliant (Article 33)	No
ROHS Compliant	Yes
UL Recognized (US)	Yes
UL Recognized (US and Canada)	Yes
Package Quantity (Imperial)	200
Package Quantity (Metric)	200
Customs Number	3919102055

About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global

customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin.
(www.hellermann.tyton.com).

© 2023 HellermannTyton. All Rights Reserved.

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)