




Rev	AWO #	Description	Date	Appr
-	9362	RELEASED	2/16/09	

APPROVED: _____
 DATE: _____ TITLE: _____



DESCRIPTION	MATERIAL	FINISH	QTY
FERRULE	BRASS	NICKEL	1
FERRULE	BRASS	NICKEL	1
SLEEVE	ABC	NONE	1
CONTACT PIN	BRASS	GOLD	1
WASHER	IRON	NICKEL	1
SPRING	65Mn	NONE	1
OUT CONTACT	ZINC	NICKEL	1
GASKET	PVC	NONE	1
INSULATOR	TEFLON	NONE	1
BODY	BRASS	NICKEL	1
SHELL	ZINC	NICKEL	1
DESCRIPTION	MATERIAL	FINISH	QTY



SPECIFICATIONS:

Electrical:
 Impedance: 75 ohms
 Frequency range: 0-4 GHz
 Working Voltage: 500 VRMS max.
 Dielectric Withstanding Voltage: 1500 VRMS min.
 Contact Resistance: 3 Milliohms max. (Center Contact)
 2 Milliohms max. (Outer Contact)
 Insulator Resistance: 5000 Megohms min.
 Environmental:
 Lead free, RoHS compliant.



ADAM TECH

909 Rahway Avenue, Union, NJ 07083
 Phone: 908-687-5000 Fax: 908-687-5710

BNC MALE CRIMP FOR RG179, 75 OHM

UNLESS OTHERWISE SPECIFIED	
ALL DIMENSIONS ARE INCHES [MM]	
TOLERANCES: EXCEPT AS NOTED	
.X INCHES	±.10
.XX	±.020
.XXX	±.015
Ø.X	±.10
Ø.XXX	±.015
Ø.XXX	±.010
APPROVALS	
DRAWN	DY
CHECKED	CH
APPROVED	

SIZE	PART NO.	REV.
X	RF1-03-T-03-75	
REF: S00049T	SCALE: NTS	SHEET 1 OF 1