







REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
A		FIRST RELEASED	13JUL2021	J.J	N.S




3-2363962-0
PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN H.X 26SEP2019	TE Connectivity Ltd.		
DIMENSIONS: mm		CHK W.H 26SEP2019	APVD -		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC 108-115166	NAME 0.4mm PITCH BTB CONN. H0.8 PLUG ASSEMBLY		
0 PLC ± -		APPLICATION SPEC -	SIZE A2	CAGE CODE 00779	DRAWING NO C=2363962
1 PLC ± 0.3		WEIGHT -	RESTRICTED TO -		
2 PLC ± 0.20		CUSTOMER DRAWING	SCALE 16:1	SHEET 1 of 6	REV A
3 PLC ± -					
4 PLC ± -					
ANGLES ± -					
FINISH					

P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-



RECOMMENDED P.C.BOARD PATTERN DIMENSION (WITH HOLD DOWN)



NOTES:

1.MATERIAL:

- 1.1 HOUSING: LCP, UL 94 V-0, COLOR: BLACK.
- 1.2 CONTACT: COPPER ALLOY.
- 1.3 HOLD DOWN: COPPER ALLOY.

2. FINISH:





- 2.1 CONTACT:
GOLD FLASH ON CONTACT AND SOLDERING AREA.
NICKEL UNDER PLATING OVERALL.
- 2.2 HOLD DOWN:
GOLD FLASH PLATING OVER NICKEL UNDER PLATING.

3.REFLOW SOLDER CAPABLE TO 260 °C.

4.MATING PLUG PART NUMBER: 3-2363961-0.


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	26SEP2019	TE TE Connectivity Ltd.	
		CHK	26SEP2019		
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME	
		0 PLC	± -	PRODUCT SPEC	
		1 PLC	± 0.3	108-115166	
		2 PLC	± 0.20	APPLICATION SPEC	
		3 PLC	± -		
MATERIAL		FINISH		SIZE	CAGE CODE
				A2	00779
				DRAWING NO	
				C=2363962	
				RESTRICTED TO	
				SCALE 16:1 SHEET 2 of 6 REV A	
				CUSTOMER DRAWING	

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-



- NOTES :
- PACKAGING MATERIAL IN PLASTIC, RUBBER, INK, PIGMENT AND PAINT MUST MEET CONTROLLED SUBSTANCES SPEC PER 230-702.
 - * CADMIUM AND CADMIUM COMPOUNDS NOT TO EXCEED: 5 PPM.
 - * LEAD, CADMIUM, CHROM VI AND MERCURY NOT TO EXCEED: 100 PPM (COMBINED).
 - * CARRIER TAPES, COVER TAPES, REELS AND TAPED COMPONENTS MUST MEET THE REQUIREMENTS DEFINED PER EIA-481-C.
- MATERIAL :
 COVER TAPE : PET, COLOR: TRANSPARENT.
 CARRIER TAPE : POLYSTYRENES, BLACK COLOR.
 REEL : POLYSTYRENES, BLUE COLOR.
 SHIPPING BOX: CORRUGATED FIBER
 - DIMENSION :
 REEL : SEE DRAWING
 SHIPPING BOX : SEE DRAWING
 - QUANTITY : SEE TABLE
 - WEIGHT : SEE TABLE
 - PEELING RESISTANCE : 10gf~130gf
 - PEELING SPEED : 300mm/MINUTES






9.0KG	0.98KG	5000	14	70000	3-2363962-0
GROSS WEIGHT	NET WEIGHT	PCS/ REEL	REEL/ BOX	PCS/ BOX	PART NUMBER



OUT BOX PACKAGE DIAGRAM DRAWING

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	26SEP2019		TE Connectivity Ltd.
		CHK	26SEP2019		
		APVD	-		NAME
		PRODUCT SPEC			0.4mm PITCH BTB CONN.
		APPLICATION SPEC			H0.8 PLUG ASSEMBLY
		SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
		A2	00779	C=2363962	-
		CUSTOMER DRAWING		SCALE	16:1
		SHEET		3 of 6	REV
				A	


P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-




4-2363962-0
PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN H.X	26SEP2019	TE TE Connectivity Ltd.	
		CHK W.H	26SEP2019		
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME	
		0 PLC	± -	PRODUCT SPEC	
		1 PLC	± 0.3	108-115166	
		2 PLC	± 0.20	APPLICATION SPEC	
		3 PLC	± -		
MATERIAL		FINISH		SIZE	CAGE CODE
				A2	00779
				DRAWING NO	
				C=2363962	
				RESTRICTED TO	
				SCALE	SHEET
				16:1	4 of 6
				REV	A

P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-



RECOMMENDED P.C.BOARD PATTERN DIMENSION (WITH HOLD DOWN)



NOTES:

1.MATERIAL:

- 1.1 HOUSING: LCP, UL 94 V-0, COLOR: BLACK.
- 1.2 CONTACT: COPPER ALLOY.
- 1.3 HOLD DOWN: COPPER ALLOY.

2. FINISH:





- 2.1 CONTACT:
GOLD FLASH ON CONTACT AND SOLDERING AREA.
NICKEL UNDER PLATING OVERALL.
- 2.2 HOLD DOWN:
GOLD FLASH PLATING OVER NICKEL UNDER PLATING.

3. REFLOW SOLDER CAPABLE TO 260 °C.

4. MATING PLUG PART NUMBER: 4-2363961-0.


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN H.X	26SEP2019	TE Connectivity Ltd.	
		CHK W.H	26SEP2019		
		APVD -	-	NAME	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC	
		0 PLC	± -	108-115166	
		1 PLC	± 0.3	APPLICATION SPEC	
		2 PLC	± 0.20	-	
		3 PLC	± -	-	
		4 PLC	± -	-	
MATERIAL		FINISH		WEIGHT	-
				SIZE	A2
				CAGE CODE	00779
				DRAWING NO	C=2363962
				RESTRICTED TO	-
				SCALE	16:1
				SHEET	5 of 6
				REV	A

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-



- NOTES :
- PACKAGING MATERIAL IN PLASTIC, RUBBER, INK, PIGMENT AND PAINT MUST MEET CONTROLLED SUBSTANCES SPEC PER 230-702.
 - * CADMIUM AND CADMIUM COMPOUNDS NOT TO EXCEED: 5 PPM.
 - * LEAD, CADMIUM, CHROM VI AND MERCURY NOT TO EXCEED: 100 PPM (COMBINED).
 - * CARRIER TAPES, COVER TAPES, REELS AND TAPED COMPONENTS MUST MEET THE REQUIREMENTS DEFINED PER EIA-481-C.
- MATERIAL :
COVER TAPE : PET, COLOR: TRANSPARENT.
CARRIER TAPE : POLYSTYRENES, BLACK COLOR.
REEL : POLYSTYRENES, BLUE COLOR.
SHIPPING BOX: CORRUGATED FIBER
 - DIMENSION :
REEL : SEE DRAWING
SHIPPING BOX : SEE DRAWING
 - QUANTITY : SEE TABLE
 - WEIGHT : SEE TABLE
 - PEELING RESISTANCE : 10gf~130gf
 - PEELING SPEED : 300mm/MINUTES

5.718KG	0.51KG	5000	6	30000	4-2363962-0
GROSS WEIGHT	NET WEIGHT	PCS/ REEL	REEL/ BOX	PCS/ BOX	PART NUMBER



OUT BOX PACKAGE DIAGRAM DRAWING

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	26SEP2019	TE TE Connectivity Ltd.	
		CHK	26SEP2019		
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME	
0 PLC ± -		1 PLC ± 0.3		PRODUCT SPEC	
2 PLC ± 0.20		3 PLC ± -		108-115166	
4 PLC ± -		ANGLES ± -		APPLICATION SPEC	
MATERIAL		FINISH		SIZE	RESTRICTED TO
				A2	-
		WEIGHT		CAGE CODE	DRAWING NO
				00779	C=2363962
CUSTOMER DRAWING		SCALE		SHEET	REV
		16:1		6 of 6	A