

Terminal outlet - VS-TO-IW-2-F-9010 - 1653016


Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)



Terminal outlet, flush-type mounting, IP20, two slots for contact inserts with the Freenet system



Key commercial data

Packing unit	1 PCE
GTIN	 4 017918 962081
Custom tariff number	85366990
Country of origin	GERMANY

Technical data

Mechanical characteristics

Number of slots	2
Color	Pure white RAL 9010
Ambient temperature (operation)	5 °C ... 55 °C

Material data

Inflammability class according to UL 94	HB
Housing material	PC+ABS
Degree of protection	IP20

Classifications

ETIM

ETIM 2.0	EC000764
ETIM 3.0	EC001121
ETIM 4.0	EC001121

Terminal outlet - VS-TO-IW-2-F-9010 - 1653016

Classifications

ETIM

ETIM 5.0	EC002641
----------	----------

UNSPSC

UNSPSC 11	31261501
UNSPSC 12.01	31261501
UNSPSC 13.2	31261501
UNSPSC 6.01	31261501
UNSPSC 7.0901	31261501

eCl@ss

eCl@ss 4.0	27140816
eCl@ss 4.1	27260701
eCl@ss 5.0	27260701
eCl@ss 5.1	27260701
eCl@ss 6.0	27260705
eCl@ss 7.0	27440309

Accessories

Accessories

Female insert

RJ45 female insert - VS-08-BU-RJ45-5-F/BU - 1652952



RJ45 socket insert, for the Freenet system, CAT5e, 8-pos., shielded, socket on socket

RJ45 female insert - VS-08-BU-RJ45-5-F/PK - 1652936



RJ45 socket insert, for the Freenet system, CAT5e, 8-pos., shielded, with cable connection (IDC fast connection), for solid wires AWG 24 ... 22

Terminal outlet - VS-TO-IW-2-F-9010 - 1653016

Accessories

RJ45 female insert - VS-08-BU-RJ45-6-F/PK - 1652949



RJ45 socket insert, for the Freenet system, CAT6, 8-pos., shielded, with cable connection (IDC fast connection), for litz and solid wires AWG 24 ... 22

Fiber optic coupling - VS-SCRJ-GOF-KU - 1654358



SCRJ coupling insert, duplex, for VS-PP-19-1HE-16-F patch panel and VS-TO...F...terminal outlets and VS-SI-FP-2F front plate, can be used for glass multi-mode, HCS and polymer fiber types

Drawings

Dimensioned
drawing

Terminal
outlet

© Phoenix Contact 2013 - all rights reserved
<http://www.phoenixcontact.com>