

Apacer



The Most **Reliable**
Storage For Industries



Industrial microSD card



Industrial MicroSD(HC) card

Industrial MicroSD H1-M

Overview

Apacer Industrial microSD H1-M series conforming to SD3.0 specification are designed with high performance, good reliability and wide compatibility, through UHS-I, supporting speed class up to U3. The new microSD 3.0 card is capable of delivering better performance and P/E cycles by the latest firmware architecture including a powerful built-in Error Correction, Read Retry, Wear Leveling & Bad Block Management algorithms.



Feature

- Compliant with SD 3.0 Specification
- S.M.A.R.T supported
- Wear-Leveling and Block Management
- Support SD mode and SPI mode
- Low Power Consumption
- Wide Temperature Support

Specifications

| | |
|--|--|
| Model | Industrial microSDHC |
| Interface | SD3.0 |
| NAND Flash Type | MLC |
| Capacity | 4G~64G |
| Sustained Read Performance (MB/sec) | Up to 44 |
| Sustained Write Performance (MB/sec) | Up to 36 |
| ECC Engine* | Built-in 42-bit per 1K bytes BCH ECC |
| Standard Operating Temperature (°C) | -25 ~ + 85 |
| Extended Operating Temperature (°C) | -40 ~ + 85 |
| Storage Temperature (°C) | -40 ~ + 85 |
| Shock | 1,500G, 0.5ms |
| Vibration | 20Hz~80Hz/1.52mm (frequency/displacement) 80Hz~2,000Hz/20G (frequency/accelerate) |
| Humidity | 95% |
| Operating Voltage | 3.3 V ± 5% |
| Low Power Consumption | Active mode: 135 mA & Idle mode: 250 uA |
| Dimension (L x W x H) | 15x11x1 (mm) |
| MTBF (hours) | >3,000,000 |
| Features / Technology | S.M.A.R.T./Wide Temp. |
| Applications | Military/Cloud Computing/In-Vehicle/Gaming/HealthCare/Embedded System |

Ordering Info

| Model | Standard temp: -25~85 | Extended temp: -40~85 |
|-------|--------------------------|--------------------------|
| 4G | AP-MSD04GCA-1GTM | AP-MSD04GIA-1GTM |
| 8G | AP-MSD08GCA-1GTM | AP-MSD08GIA-1GTM |
| 16G | AP-MSD16GCA-1GTM | AP-MSD16GIA-1GTM |
| 32G | AP-MSD32GCA-1GTM | AP-MSD32GIA-1GTM |
| 64G | AP-MSD64GCA-1FTM | AP-MSD64GIA-1FTM |

Global Presence

Taiwan (Headquarters)
Apacer Technology Inc.
Tel: +886-2-2267-8000
Fax: +886-2-2267-2261

Europe
Apacer Technology B.V.
Tel: +31-40-267-0000
Fax: +31-40-290-0686

U.S.A.
Apacer Memory America, Inc.
Tel: +1-408-518-8699
Fax: 1-510-249-9551

China
Apacer Electronic(Shanghai)
Co., Ltd.
Tel: +86-21-6228-9939

Japan
Apacer Technology Corp.
Tel: +81-3-5419-2668
Fax: +81-3-5419-0018

India
Apacer Technologies Pvt. Ltd.
Tel: +91-80-41529061~3
Fax: +91-80-41700215