End and intermediate plate; 1 mm thick; for 3-conductor terminal blocks; orange



www.wago.com/2110-1392

Color:

# Data

Physical data

 Width
 1 mm / 0.039 inches

 Height
 109.4 mm / 4.307 inches

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.

www.wago.com/2110-1392



Depth 37.7 mm / 1.484 inches

### **Mechanical Data**

Mounting type snap-on type

#### **Material Data**

Note (material data)

Information on material specifications can be found here

Color	orange
Material group	l
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Weight	3.8 g

## Commercial data

ETIM 8.0	EC000886
ETIM 7.0	EC000886
PU (SPU)	100 (25) pcs
Packaging type	box
Country of origin	DE
GTIN	4055143867726
Customs tariff number	85389099990

## **Environmental Product Compliance**

RoHS Compliance Status Compliant, No Exemption

3-conductor through terminal block; with lever and push-button; 10 mm<sup>2</sup>; with test port; side and

### Required accessories

# End plate

Through terminal block		
Item no.: 2110-1301		
3-conductor through terminal block; with lever and Push-in CAGE CLAMP®; 10 mm²; with test port; sid	e www.wago.com/2110-1301	
and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 10,00 mm²; gray		
Item no.: 2110-1304		
3-conductor through terminal block; with lever and Push-in CAGE CLAMP®; 10 mm²; with test port;	www.wago.com/2110-1304	
suitable for Ex i applications; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE		
CLAMP®; 10,00 mm²; blue		
Item no.: 2110-5301		

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.

www.wago.com/2110-5301

www.wago.com/2110-1392



center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 10,00 mm²; gray

3-conductor through terminal block; with lever and push-button; 10 mm²; with test port; suitable for Ex i www.wago.com/2110-5304 applications; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 10,00 mm²; blue

Ground terminal block

Item no.: 2110-1307

3-conductor ground terminal block; with lever and Push-in CAGE CLAMP®; 10 mm²; with test port; side www.wago.com/2110-1307 and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 10,00 mm²; green-yellow

Item no.: 2110-5307

3-conductor ground terminal block; with lever and push-button; 10 mm<sup>2</sup>; with test port; side and center www.wago.com/2110-5307 marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 10,00 mm²; green-yellow

## **Downloads**

#### **Documentation**

**Additional Information** 

pdf 2.3 MB Download

### CAD/CAE-Data

### **CAE** data

ZUKEN Portal 2110-1392	URL	Download
EPLAN Data Portal 2110-1392	URL	Download

# **CAD** data

2D/3D Models 2110-1392 **URL** Download

# **Environmental Product Compliance**

#### Compliance Search

URL Download **Environmental Product Compliance 2110-1392** End and intermediate plate; 1 mm thick; for 3-conductor terminal blocks; orange

### **Installation Notes**

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.

www.wago.com/2110-1392



## **Product family**

#### TOPJOB® S

TOPJOB® S: In various industrial applications and modern building installations, WAGO's wide and versatile range of rail-mount terminal blocks provides more than just reliable electrical connections.

Show all products from the family

 $\label{thm:condition} \textbf{Subject to changes. Please also observe the further product documentation!}$ 

WAGO GmbH & Co. KG Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.