



Cross-switch bridge, No. of poles: 2, Mounting type: Can be screwed on, Width: 15.4 mm, Colour: Orange

Business data

Article number	<u>2197.0</u>	
Article name	QVS 2	
GTIN (EAN)	4044211050252	
Packaging unit	20	
Quantity unit	PC	
Weight per piece (not including packaging)	1.01 g	
Weight per piece (including packaging)	1.02 g	
Unit of weight	G	
Customs number	85389099	
Country of origin	DE	
Product description	Cross-switch bridge	
Colour	Orange	



Technical data		
Dimensions		
Length	23.5 mm	
Width	15.4 mm	
Height	7.6 mm	
Pitch size	8 mm	
Connection data		
No. of poles	2	
Materials		
Material	Brass	
Surface	Tin-plated	
Insulation housing	Polyamide 6.6	
Flammability class UL 94	V-2	
Working temperature, min.	-40 °C	
Working temperature, max.	105 °C	
Further technical data		
Mounting type	Screwable	
Insulation available	✓	
Touch protection is available	✓	
Environmental Product Compliance		
REACH Conform	yes	
REACH Reference date	2023-01-17	
REACH Candidate Substance Note	No	
RoHS Conform	yes	



Media

Data sheet

2197.0 QVS 2



Accessories

##INVERSE##CONTA-CONNECT



Test disconnect terminal, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 10 mm², Width: 8 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1134.2	PTK 10/DU BG	4044211020293	50 ST



Test disconnect terminal, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 10 mm², Width: 8 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1131.2	PTK 10/LT/STB BG	4044211019969	50 ST



Test disconnect terminal, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 10 mm², Width: 8 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1133.2	PTK 10/QT/STB BG	4044211020187	50 ST



Test disconnect terminal, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 10 mm², Width: 8 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>1135.2</u>	PTK 10/DU/STB BG	4044211020408	50 ST



Test disconnect terminal, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 10 mm², Width: 8 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
17366.2	PTK 10/LT/HB BG	4044211185145	50 ST



Test disconnect terminal, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 10 mm², Width: 8 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
17367.2	PTK 10/LT/STB/HB BG	4044211185152	50 ST



##INVERSE##CONTA-CONNECT



Test disconnect terminal, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 10 mm², Width: 8 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
17366.2	PTK 10/LT/HB BG	4044211185145	50 ST



Test disconnect terminal, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 10 mm², Width: 8 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>17367.2</u>	PTK 10/LT/STB/HB BG	4044211185152	50 ST