


AST-01708MR-R 17mm Speaker

3541 Stop Eight Road • Dayton, Ohio 45414

Product Overview


- 17mm diameter speaker with Neodymium magnet for 90 dB sensitivity
- 0.2W continuous, 0.5W maximum power handling and 8Ω impedance
- Mylar cone for wide frequency response
- Thru hole design and wave solderable for PCB mount













AST-01708MR-R 17mm Speaker

Mechanical and Environment Testing			
Test Description	Test Condition		
High Temperature	55°C with random humidity for 96 hours		
Low Temperature	-20°C with random humidity for 96 hours		
Humidity	40°C with 90% to 95% relative humidity for 96 hours		
Vibration	1.5 mm movement modulated at 10 to 55 Hz for 2 hours		
Drop Test	75 cm free fall onto 40 mm thick board, 10 cy-		
Temperature Cycle Test	-20°C to 55°C, 5 cycles (refer to Temperature Cycle Test Graph)		
After tests, speaker shall rest for 1 hours. SPL shall not deviate ±3 dB from pre-test measurement.			






PUI Audio Inc. engages in continuous product improvement. All specifications are subject to change without notice. www.puiaudio.com. Copyright © 2015. Last Revised 4/15.


SPECIFICATIONS		
PARAMETERS	VALUES	UNITS
RATED INPUT POWER	0.2	W
MAX INPUT POWER	0.5	W
IMPEDANCE	8 ± 15%	OHM
OUTPUT SPL @ 0.2W/0.1M	87 + 3	dBA
(AT 2.0, 2.5, 3.0, 4.0 kHz)	07 13	
DISTORTION (MAX.)	5%	-
RESONANT FREQUENCY	1,500 ± 20%	Hz
FREQUENCY RANGE	1,500 ~ 20,000	Hz
HOUSING MATERIAL	PBT	-
CONE MATERIAL	MYLAR	-
MAGNET MATERIAL	Nd-Fe-B	-
OPERATING TEMPERATURE	-20 ~ +55	°C
WEIGHT	2	grams

THIS DOCUMENT CONTAINS DATA PROPRIETARY TO PROJECTS UNLIMITED, INC. ANY USE OR REPRODUCTION, IN ANY FORM, WITHOUT PRIOR WRITTEN PERMISSION OF PROJECTS UNLIMITED,

TION, IN ANY FORM, WITHOUT PRIOR	
PERMISSION OF PROJECTS UNLIMITED,	
INC. IS PROHIBITED.	
2003, Projects Unlimited Inc.	

	REVISION HISTORY		
LTR	DESCRIPTION	DATE	APPROVED
-	RELEASED FROM ENGINEERING	11/2/2005	
Α	ADDED OVERALL HEIGHT DIMENSION	2/24/2009	B.R.
В	REVISED TO INVENTOR 3-D DRAWING TEMPLATE	2/25/2009	B.R.





Designed by



NOTES:

- 1. ALL DIMENSIONS ARE IN MILLIMETERS.
- 2. SPECIFICATIONS SUBJECT TO CHANGE OR WITHDRAWL WITHOUT NOTICE.
- 3. THIS PART IS RoHS 2002/95/EC COMPLIANT.

UNLESS OTHERWISE SPECIFIED:	
DIMENSIONS ARE IN MILLIMETERS.	SIZE
TOLERANCES ARE ±0.5 AND ANGLES ARE ±3°.	A3
AST-01708	MR-R.idw

J.A.F.	11/2/2005	В	
	pul.		
	a projects unlimited co	IIIC	

Date

Checked by	Date	Approved by	Date	Drawn Date
B.R.	11/2/2005	E.P.	11/2/2005	2/25/2009
AST-01708MR-R				

Edition Sheet Speaker 1/1