









## Wire Diameter Guide to HellermannTyton Labels

This guide can be used to determine which labels will work best with the wire diameter selected. Simply place the end of your wire over the appropriate circle to select the best label size.

If Your Wire Or Cable Diameter Is Less Than or Equal to Below, Use:		Dot Matrix Labels	Laser Labels	Ink Jet Labels	Thermal Labels
DIAMETER .10"		TAG26-100	TAG26L-105	TAG14J-450 TAG15J-450 TAG21J-450	TAG26T6-100B TAG21T6-250 TAG51T6-100B TAG11T6-250
DIAMETER .20"		TAG2-100 TAG5-100 TAG22-100	TAG63L-105 TAG49L-105 TAG51L-105	TAG14J-450 TAG15J-450 TAG21J-450	TAG2T5-100B TAG22T3-100B TAG51T3-100B
DIAMETER .28"		TAG2-100 TAG5-100 TAG22-100 TAG24-100 TAG5-100 TAG25-100	TAG2L-105 TAG5L-105 TAG63L-105 TAG52L-105	TAG28J-450	TAG2T5-100B TAG22T3-100B TAG28T4-250 TAG24T1-100B TAG53T2-100B
DIAMETER .54"		TAG9-100 TAG10-100	TAG9L-105 TAG1L-105 TAG10L-105 TAG65L-105	TAG19J-450	TAG9T3-100B TAG1T1-100B TAG10T2-100B
DIAMETER .94"		TAG3-100 TAG6-100	TAG50L-105 TAG64L-105		TAG3T3-100B TAG6T1-100B
DIAMETER 1.40"		TAG4-100 TAG8-100			TAG7T1-100B
DIAMETER 1.9"		TAG7-100 TAG8-100 TAG23-100 TAG38-100			TAG7T1-100B TAG38T4-100B

## Thermal Transfer Labels



### Thermal Transfer Labels

Hellermann Tyton Part No.	Material	Labels per Roll	No. of Labels Across	Width of Label A	Length of Label B	Vertical Repeat C	Horizontal Repeat D	Width of Liner E	
TAG77T1-101	101	2,000	1	3" (76.2mm)	.9375" (23.8mm)	1.0" (25.4mm)	N/A	3.12" (79.2mm)	
TAG11T4-250	250	5,000	4	.65" (16.5mm)	.20" (5.08mm)	.30" (7.62mm)	.65" (16.5mm)	3.12" (79.24mm)	
TAG15T3-250		10,000	3	1.0" (25.4mm)	.50" (12.7mm)	.60" (15.24mm)	1.07" (27.31mm)	3.35" (85.09mm)	
TAG21T6-250		10,000	6	.50" (12.7mm)	.75" (19.05mm)	.875" (22.22mm)	.50" (12.7mm)	3.25" (82.55mm)	
TAG28T4-250		5,000	4	.80" (20.3mm)	1.43" (36.3mm)	1.62" (41.1mm)	.80" (20.3mm)	3.45" (87.6mm)	
TAG35T2-250		10,000	2	2.0" (50.8mm)	.375" (9.53mm)	.50" (12.7mm)	2.0" (50.8mm)	4.1" (104.14mm)	
TYHCT-250		5,000	16	.25" (6.35mm)	1.5" (38.1mm)	1.625" (41.27mm)	.25" (6.35mm)	4.12" (104.7mm)	
TAG15T3-795	795	10,000	3	1.0" (25.4mm)	.50" (12.7mm)	.60" (15.24mm)	1.07" (27.31mm)	3.35" (85.09mm)	
TAG27T1-795		3,000	1	1.50" (38.11mm)	.75" (19.05mm)	.875" (22.2mm)	N/A	2.20" (55.88mm)	
TAG72T1-795		3,000	1	2.75" (69.85mm)	1.25" (31.75mm)	1.375" (34.93mm)	N/A	2.95" (74.95mm)	
TAG73T1-795		3,000	1	2.0" (50.8mm)	1.0" (25.4mm)	1.125" (31.75mm)	N/A	2.20" (55.83mm)	
TAG75T1-795		2,000	1	2.0" (50.8mm)	.625" (15.87mm)	.75" (19.05mm)	N/A	2.12" (53.8mm)	
TAG76T1-795		1,000	1	2.5" (63.5mm)	2.0" (50.8mm)	2.12" (53.8mm)	N/A	2.62" (66.5mm)	
TAG78T1-795		500	1	3" (76.2mm)	4" (101.6mm)	4.12" (104.7mm)	N/A	3.12" (79.2mm)	
TAG79T1-795		500	1	4" (101.6mm)	2" (50.8mm)	2.12" (53.97mm)	N/A	4.25" (107.9mm)	
TAG80T1-795		500	1	3" (76.2mm)	5" (127mm)	5.12" (130mm)	N/A	3.125" (79.37mm)	
TAG13T4-822		822	10,000	4	.75" (19.05mm)	.25" (6.35mm)	.35" (8.89mm)	.75" (19.05mm)	4.1" (104.14mm)
TAG15T3-822	10,000		3	1.0" (25.4mm)	.50" (12.7mm)	.60" (15.24mm)	1.07" (27.31mm)	3.35" (85.09mm)	
TAG16T3-822	10,000		3	.90" (22.86mm)	.25" (6.35mm)	.35" (8.89mm)	.90" (22.86mm)	3.4" (86.3mm)	
TAG17T2-822*	10,000		2	1.50" (38.11mm)	.25" (6.35mm)	.35" (8.89mm)	1.65" (41.91mm)	3.35" (85.09mm)	
TAG27T1-822	3,000		1	1.50" (38.11mm)	.75" (19.05mm)	.875" (22.2mm)	N/A	2.20" (55.88mm)	
TAG70T12-822	10,000		12	.25" (6.35mm)	.25" (6.35mm)	.375" (9.52mm)	.25" (6.35mm)	3.2" (81.2mm)	
TAG71T5-822	10,000		5	.50" (12.7mm)	.43" (11.1mm)	.662" (16.81mm)	.50" (12.7mm)	3.35" (85.09mm)	
TAG72T1-822	3,000		1	2.75" (69.85mm)	1.25" (31.75mm)	1.375" (34.93mm)	N/A	2.95" (74.95mm)	
TAG73T1-822	3,000		1	2.0" (50.8mm)	1.0" (25.4mm)	1.125" (28.57mm)	N/A	2.20" (55.83mm)	
TAG75T1-822	2,000		1	2.0" (50.8mm)	.625" (15.87mm)	.75" (19.05mm)	N/A	2.12" (53.8mm)	
TAG81T8-822	5,000		8	.325" (8.25mm)	.20" (5.08mm)	.5" (12.7mm)	.65" (16.5mm)	2.8" (71.1mm)	
TAG82T2-822	10,000		2	1.5" (38.1mm)	.25" (6.35mm)	.35" (8.89mm)	1.65" (41.91mm)	3.20" (81.28mm)	
TAG83T1-822	5,000		1	4.0" (101.6mm)	.312" (7.92mm)	.438" (11.13mm)	N/A	4.1" (104.14mm)	
TAG84T3-822	10,000		3	1.25" (31.75mm)	.375" (9.53mm)	.50" (12.7mm)	1.31" (33.27mm)	4.0" (101.6mm)	
TAGPPIT6-822	1,000		6	.625" (15.87mm)	.333" (8.45mm)	.75" (19.05mm)	.625" (15.87mm)	3.80" (96.52mm)	
TAGPPIT6-822C10M	10,000		6	.625" (15.87mm)	.333" (8.45mm)	.75" (19.05mm)	.625" (15.87mm)	3.80" (96.52mm)	
TAG11T4-822C	822C		5,000	4	.65" (16.5mm)	.20" (5.08mm)	.30" (7.62mm)	.65" (16.5mm)	2.6" (66.04mm)
TAG15T3-822C			10,000	3	1.0" (25.4mm)	.50" (12.7mm)	.60" (15.24mm)	1.07" (27.31mm)	3.35" (85.09mm)
TAGPPIT6-822C			1,000	6	.625" (15.87mm)	.333" (8.45mm)	.75" (19.05mm)	.625" (15.87mm)	4.0" (101.6mm)
TAGPPIT6-822C10M			10,000	6	.625" (15.87mm)	.333" (8.45mm)	.75" (19.05mm)	.625" (15.87mm)	4.0" (101.6mm)
TAG13T4-900	900	10,000	4	.75" (19.05mm)	.25" (6.35mm)	.35" (8.89mm)	.75" (19.05mm)	3.35" (85.09mm)	
TAG16T3-900		10,000	3	.90" (22.86mm)	.25" (6.35mm)	.35" (8.89mm)	.90" (22.86mm)	3.35" (85.09mm)	
TAG74T2-PAP**	PAP	1,000	2	1.75" (44.45mm)	.375" (9.53mm)	.562" (14.2mm)	1.75" (44.45mm)	3.5" (88.9mm)	

\*TAG17T2-822 not recommended for TT10SM, TT210SM, TT300SM and TT310SM printers. Use TAG82T2-822 instead.

\*\*TAG74T2-PAP is made from a non-adhesive card stock paper.

C = Clear

See page 130 for complete material specifications.

## THERMAL TRANSFER LABELS AND PRINTERS

HellermannTyton provides several types of thermal transfer labels in a range of sizes and materials for wire and component marking. HellermannTyton provides a combination of ribbon and material that produces a chemical and solvent resistant, non-smear mark, that is clean and legible. Self-laminating labels, for use with wires, and labels for component and product marking are featured in this system.

### 100B Self-Laminating Labels

Material: 100 Clear Vinyl

- Topcoat:** Specially formulated for superb ink anchorage.
- Liner:** 50#
- Temp. Range:** -50PF to +200PF (-46PC to +93PC)
- Adhesive:** Permanent pressure sensitive acrylic.
- Application:** For wire, cable, and other conformable surfaces.
- Ribbon:** Use TT100OUT series ribbons.

## Thermal Transfer Self-Laminating Labels

### Self-Laminating Labels

Hellermann Tyton Part No.	Labels per Roll	No. of Labels Across	Width of Label A	Length of Write-on Area B	Length of Label C	Vertical Repeat D	Horizontal Repeat E	Liner Width F
TAG1T1-100B	2,500	2	1.9" (48.2mm)	.75" (19.05mm)	3.12" (79.2mm)	3.42" (86.8mm)	1.9" (48.2mm)	3.875" (98.42mm)
TAG2T5-100B	10,000	5	.5" (12.7mm)	.5" (12.7mm)	1.43" (36.5mm)	1.62" (41.28mm)	.66" (16.81mm)	3.35" (89.05mm)
TAG3T3-100B	3,000	3	1.0" (25.4mm)	1.0" (25.4mm)	3.75" (95.25mm)	4.0" (101.6mm)	1.075" (27.3mm)	3.35" (89.05mm)
TAG6T1-100B	1,000	1	2.0" (50.8mm)	1.0" (25.4mm)	3.75" (95.25mm)	4.0" (101.6mm)	N/A	2.20" (68.58mm)
TAG7T1-100B*	1,000	2	2.0" (50.8mm)	1.0" (25.4mm)	7.347" (188.89mm)	7.75" (196.8mm)	2.0" (50.8mm)	4.10" (104.14mm)
TAG9T3-100B	5,000	3	1.0" (25.4mm)	.75" (19.05mm)	2.25" (57.1mm)	2.5" (63.5mm)	1.07" (27.1mm)	3.35" (85mm)
TAG10T2-100B	2,500	2	2.0" (50.3mm)	.75" (17.05mm)	2.25" (57.1mm)	2.5" (63.5mm)	2.0" (50.8mm)	4.125" (104.77mm)
TAG22T2-100B	5,000	2	1.0" (25.4mm)	.5" (12.7mm)	1.43" (36.5mm)	1.62" (41.28mm)	1.075" (27.3mm)	2.27" (57.6mm)
TAG22T3-100B	5,000	3	1.0" (25.4mm)	.5" (12.7mm)	1.43" (36.5mm)	1.62" (41.28mm)	1.075" (27.3mm)	3.35" (89.05mm)
TAG24T1-100B	1,000	1	2.0" (50.8mm)	.5" (12.7mm)	1.437" (36.49mm)	1.68" (42.6mm)	2.0" (50.8mm)	2.2" (55.9mm)
TAG26T6-100B	10,000	6	.5" (12.7mm)	.315" (9.52mm)	.75" (19.05mm)	.938" (23.7mm)	.5" (12.7mm)	3.37" (85.6mm)
TAG38T4-100B*	1,000	4	1.0" (25.4mm)	1.5" (38.08mm)	7.347" (188.89mm)	7.75" (196.8mm)	1" (25.4mm)	4.125" (104.77mm)
TAG51T3-100B	10,000	3	1.0" (25.4mm)	.35" (8.8mm)	.75" (19.05mm)	.937" (23.7mm)	1.075" (27.3mm)	3.35" (89.05mm)
TAG52T2-100B	2,500	2	1.5" (38.1mm)	.7" (17.78mm)	1.435" (36.44mm)	1.62" (41.28mm)	1.5" (38.1mm)	3.35" (89.05mm)

\*TAG38T4-100B and TAG7T1-100B require that 256K of memory be installed in the TT1000 or TT10SM printers, and 384K of memory in the TT300SM printer. See page 130 for complete material specifications.

