# 3-1939755-6 ACTIVE

### Free Height

TE Internal #: 3-1939755-6

PCB Mount Receptacle, Vertical, Board-to-Board, 220 Position, .5 mm [.02 in] Centerline, Gold, Surface Mount, Signal, Black, Free

Height

View on TE.com >



Connectors > PCB Connectors > PCB Headers & Receptacles



PCB Connector Assembly Type: PCB Mount Receptacle

PCB Mount Orientation: Vertical
Connector System: Board-to-Board

Number of Positions: 220

Centerline (Pitch): .5 mm [ .02 in ]

### **Features**

### **Product Type Features**

Ground Feature Type	Grounding Contact
PCB Connector Assembly Type	PCB Mount Receptacle
Connector System	Board-to-Board
Connector & Contact Terminates To	Printed Circuit Board

### **Configuration Features**

Stackable	Yes
PCB Mount Orientation	Vertical
Number of Positions	220
Board-to-Board Configuration	Parallel

### **Electrical Characteristics**

Dielectric Withstanding Voltage (Max)	200 VAC
Insulation Resistance	2 ΜΩ
Operating Voltage	50 VAC

### **Body Features**

#### **Contact Features**

Contact Mating Area Length	1 mm, 1.3 mm
PCB Contact Termination Area Plating Material Thickness	1 μm[39.37 μin]



Contact Layout	Inline
Mating Tab Width	.33 mm[.013 in]
Mating Tab Thickness	.15 mm[.006 in]
PCB Contact Termination Area Plating Material	Tin
Contact Base Material	Copper Alloy
Contact Mating Area Plating Material	Gold
	29.9212 µin
Contact Type	Socket
Contact Current Rating (Max)	.5 A
Termination Features	
Rectangular Termination Post & Tail Thickness	.15 mm[.006 in]
Rectangular Termination Post & Tail Width	.9 mm[.035 in]
Termination Method to Printed Circuit Board	Surface Mount
Mechanical Attachment	
PCB Mount Alignment Type	Locating Posts
PCB Mount Retention Type	Solder Peg
Mating Alignment	With
Mating Alignment Type	Polarized
PCB Mount Retention	With
PCB Mount Alignment	With
Housing Features	
Centerline (Pitch)	.5 mm[.02 in]
Housing Material	High Temperature Thermoplastic
Dimensions	
Connector Height	3.25 mm[.128 in]
Stack Height	4 mm, 5 mm, 8 mm[.315 in]
Usage Conditions	
Operating Temperature Range	-40 - 85 °C[-40 - 185 °F]
Operation/Application	
Assembly Process Feature	None
	Ciavad
Circuit Application	Signal



UL Flammability Rating	UL 94V-0
Packaging Features	
Packaging Quantity	30
Packaging Type	Tray

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Reflow solder capable to 245°C

### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# Compatible Parts









PCB Mount Receptacle, Vertical, Board-to-Board, 220 Position, .5 mm [.02 in] Centerline, Gold, Surface Mount, Signal, Black, Free Height





TE Part # 3-2040713-6 .5FHP08H,220,S,GIG,30/Sn,TR,NS



TE Part # 9-1939756-6 .5FHP08H,220,S,GIG,30/Sn,HT,NS,WC







# Also in the Series | Free Height



# Customers Also Bought



TE Part #5352033-1 Z-PACK 2MM HM ASSY,TYPE-B 133P












TE Part #3-6318491-6 .5FHP08H,220,S,GIG,08/Sn,HT,NSYes











### **Documents**

### **Product Drawings**

.5FHR04H,220,S,GIG,30/Sn,HT,NS

English

#### **CAD Files**

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_3-1939755-6\_A\_c-3-1939755-6-a.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_3-1939755-6\_A\_c-3-1939755-6-a.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_3-1939755-6\_A\_c-3-1939755-6-a.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

## Datasheets & Catalog Pages

**COM Connectors Brochure (English)** 

English

## **Product Specifications**

**Product Specification** 

English

0.5mm Pitch Board to Board Connector, Free Height Type

English

### **Product Environmental Compliance**

**TE Material Declaration** 

English