



Terminals & Splices > Automotive Terminals > TIMER, RECEPTACLE AND TAB



Terminal Type: **Receptacle**

Mating Tab Width: **1.6 mm [.063 in]**

Mating Tab Thickness: **.6 mm [.024 in]**

Terminal Transmits: **0 – 24 A (Low Power)**

Wire Size: **20 – 17 AWG**

[All TIMER, RECEPTACLE AND TAB \(348\)](#)

Features

Product Type Features

Sealable	No
Primary Locking Feature	Locking Lance

Contact Features

Contact Size	1.6mm
Contact Fabrication	Stamped & Formed
Wire Contact Termination Area Plating Material	Tin
Typical Current Rating	10 A
Crimp Type	F-Crimp
Terminal Type	Receptacle
Mating Tab Width	1.6 mm[.063 in]
Mating Tab Thickness	.6 mm[.024 in]
Interface Plating	Tin (Sn)

Termination Features

Termination Method to Wire & Cable	Crimp
Product Terminates To	Wire

Dimensions



Compatible Insulation Diameter Range	1.4 – 2 mm[.055 – .079 in]
Wire Size	.5 – 1 mm ²
Wire Size Search	17 AWG, 18 AWG, 19 AWG, 20 AWG
Tab Length	19 mm[.748 in]

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature (Max)	120 °C[248 °F]
Operating Temperature Range	-40 – 120 °C[-40 – 248 °F]

Operation/Application

Compatible With Wire Base Material	Copper
------------------------------------	--------

Industry Standards

Agency/Standard	IEC 664/664A (DIN VDE 0110)
-----------------	-----------------------------

Packaging Features

Packaging Quantity	6000
Packaging Method	Reel

Other

Terminal Transmits	0 – 24 A (Low Power)
--------------------	----------------------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer



This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts


 TE Part # 539960-1 AUSZ-WKZ,MICRO TIM.	 TE Part # 2305570-1 Strip Terminal Cutter-Side Feed-No Crimp	 TE Part # CAT-T4827-CH8172 Timer Connector Housing	 TE Part # 2-2151279-1 OCEAN_2.0_APPLICATOR-S-080F100O
 TE Part # 2-2151279-2 OCEAN_2.0_APPLICATOR-S-080F100O	 TE Part # 2151279-1 OCEAN_2.0_APPLICATOR-S-080F100O	 TE Part # 2151279-2 OCEAN_2.0_APPLICATOR-S-080F100O	 TE Part # 5-2151279-1 OCEAN_2.0_APPLICATOR-S-080F100O
 TE Part # 5-2151279-2 OCEAN_2.0_APPLICATOR-S-080F100O	 TE Part # 7-2151279-1 OCEAN_2.0_APPLICATOR-S-080F100O	 TE Part # 7-2151279-2 OCEAN_2.0_APPLICATOR-S-080F100O	 TE Part # 7-2151279-7 OCEAN_2.0_SPARE_PART_KIT-080F100O
 TE Part # 1379110-1 46W ASSY RECEPTACLE HSG	 TE Part # 1379112-1 32W ASSY RECEPTACLE HSG		



Also in the Series | Micro Timer II



Automotive Connector Caps & Covers
(2)



Automotive Connector Locks &
Position Assurance(1)



Automotive Housings(34)



Automotive Terminals(30)




Connector Seals & Cavity Plugs(1)



Insertion & Extraction Tools(4)

Customers Also Bought



TE Part #1123337-1
025/040 ECU PLUG HSG ASSY 34P



TE Part #185001-6
Timer Connector Housing




TE Part #1718760-1
MCON 1.2 LL TAB SWS SN



TE Part #1544603-1
1W 8MM NG1 SEALED CLIP ASSY
BLACK



TE Part #953043-1
PL LOCKING LEVER 3P HOUSING PA6.
6 NOIR




TE Part #1379326-1
COVER FOR 52W HYB CONNECT



TE Part #2322948-2
6POS,MQS,REC HSG,UNSLD



TE Part #K1151733
Relay 31-311-12-i-923



TE Part #1813344-1
7p 1.5mm socket housing assy' coding
A



Documents

Product Drawings

MT2 REC 1.6 Contact SRC Sn

English

CAD Files

Customer View Model

ENG_CVM_962943-1_K1.3d_igs.zip

English

Customer View Model

ENG_CVM_962943-1_K1.3d_stp.zip

English

Customer View Model

ENG_CVM_962943-1_K1.2d_dxf.zip

English

3D PDF

3D

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

Timer Interconnection System

English

Product Specifications

Application Specification

German

Application Specification

English

Application Specification

English