

UPS-BAT-KIT-LI-ION 2X12V/120WH - Uninterruptible power supply replacement battery



2908370

<https://www.phoenixcontact.com/pc/products/2908370>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Replacement battery for UPS-BAT/VRLA... energy storage

Commercial data

| | |
|--------------------------------------|---------------|
| Item number | 2908370 |
| Packing unit | 1 pc |
| Minimum order quantity | 1 pc |
| Product key | CMUEL3 |
| GTIN | 4055626297729 |
| Weight per piece (including packing) | 2,190 g |
| Weight per piece (excluding packing) | 2,190 g |
| Customs tariff number | 85076000 |
| Country of origin | CN |

UPS-BAT-KIT-LI-ION 2X12V/120WH - Uninterruptible power supply replacement battery



2908370

<https://www.phoenixcontact.com/pc/products/2908370>

Technical data

Input data

| | |
|---------------|------------|
| Input voltage | 2x 12 V DC |
|---------------|------------|

Energy storage

| | |
|------------------------------------|------------------------------------|
| Nominal capacity | 120 Wh |
| Battery module service life | 15 Years (20 °C) |
| Latest startup date (battery only) | 24 Months (20 °C) |
| Battery technology | Lithium-Ion (LiFePO ₄) |
| Accumulator type | NEC ALM 12V7s HP |
| IQ technology | no |

Product properties

| | |
|----------------|---------------------|
| Product type | Battery unit |
| Product family | Replacement battery |
| IQ technology | no |

Dimensions

| | |
|--------|--------|
| Width | 129 mm |
| Height | 151 mm |
| Depth | 104 mm |

Installation dimensions

| | |
|----------------------------------|---------------|
| Installation distance right/left | 0 mm / 0 mm |
| Installation distance top/bottom | 50 mm / 50 mm |

Environmental and real-life conditions

Ambient conditions

| | |
|--|------------------|
| Ambient temperature (operation) | -20 °C ... 60 °C |
| Ambient temperature (storage/transport) | -40 °C ... 65 °C |
| Max. permissible relative humidity (operation) | ≤ 80 % |

UPS-BAT-KIT-LI-ION 2X12V/120WH - Uninterruptible power supply replacement battery



2908370

<https://www.phoenixcontact.com/pc/products/2908370>

Classifications

ECLASS

ECLASS-11.0

27059090

ETIM

ETIM 8.0

EC011878

UNSPSC

UNSPSC 21.0

26111700

UPS-BAT-KIT-LI-ION 2X12V/120WH - Uninterruptible power supply replacement battery



2908370

<https://www.phoenixcontact.com/pc/products/2908370>

Environmental product compliance

| | |
|------------|--|
| China RoHS | Environmentally Friendly Use Period = 10; |
| | For information on hazardous substances, refer to the manufacturer's declaration available under "Downloads" |

Phoenix Contact 2023 © - all rights reserved
<https://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachmarktstraße 8
D-32825 Blomberg
+49 (0) 5235-3 00
info@phoenixcontact.com